



**DEALER & PREFERRED CUSTOMER
WHOLESALE PRICE LIST
AUTOMOTIVE & LUBRICATING PRODUCTS
(UNITED STATES ONLY)
Effective November 1, 2004**



PRODUCT INDEX

Ordering information	p. 2
Motor oil	p. 3-4
Motorcycle Oil	p. 4
Suspension Fluids	p. 4
Gear lube	p. 5-6
Transmission Fluid	p. 7
2-cycle oils	p. 8
Grease	p. 9-10
Hydraulic oil	p. 10
Compressor oil	p. 10-11
Air and oil filters	p. 11-12
By-pass oil filters	p. 13
Fuel additives	p. 14-15
Metal Protector	p. 15
Silicone spray	p. 15
Engine cleaners	p. 15
Appearance products	p. 16
Miracle Wash	p. 16-17
Fuel/Water Separators	p. 17
Bosch Products	p. 18
General Information	p. 18-20



The Leader in Automotive & Diesel Performance Products

- *Synthetic Motor Oils* • *Synthetic Drivetrain Lubes*
- *Oil & Air Filters* • *Fuel Additives* • *Appearance Products*

AMSOIL INC. • AMSOIL BUILDING, SUPERIOR, WI 54880-1527 • PHONE (715) 392-7101 • FAX (715) 392-5225 or 392-5267 • www.amsoil.com

AMSOIL TOLL-FREE ORDERING LINE:

1-800-777-7094

Ordering Information

SIMPLE AND EASY ORDERING PROCEDURE WITH IMMEDIATE DISCOUNTS WHEN YOU BUY!

There's a simple way to cash in on big savings when you buy AMSOIL Products. Just total up the Dealer Cost of your order, look at the Freight Allowance and Purchase Discount Schedule (shown at right) and deduct the percentage shown from the total.

It's as simple as that and it's worth a big savings to you every time you order from AMSOIL. Online ordering info on page 18.

How to Order With the Purchase Discounts

1. Fill out your order.
2. Subtotal your order several spaces above the space where the **Totals** go.
3. Multiply the subtotal of your **Dealer Cost** by the % discount you receive (as per the Freight Allowance and Purchase Discount Schedule at right).
4. Write down this amount and put it in parentheses. Example: (88.00)
5. **Subtract** this amount from your **Dealer Cost** and continue filling out your order. (Note: Discounts don't apply to non-commissioned items such as literature, clothing, by-pass filter parts, etc.)

HOW TO MAKE ORDERING EASY...AND FAST!

Use the **orders only** 800-number. **(800-777-7094)**

AND:

Call in your order (for pickup or shipment). Tell the AMSOIL Toll-Free Ordering personnel if you are paying with a check if picked up or charging with a Visa/Master/Discover card if shipping.

All variables (including shipping and handling, sales tax, purchase discounts, etc.) will be determined for you and applied to each order.

OR:

For direct withdrawal from your checking account, use the Sales Draft Ordering System (Contact the Sales Department at AMSOIL in Superior for an application, 715-392-7101.)

The **orders only** number is: **1-800-777-7094**

Ordering hours: 7am-5pm, Central Time, Monday-Friday, except for statutory holidays.

Faxes accepted 24 hours, 7 days a week at 715-392-5225 or 392-5267.

FREIGHT ALLOWANCE AND PURCHASE DISCOUNT SCHEDULE

Total Dealer Cost Of Your Order	Deduct This Amount From Your Dealer Cost
\$ 500.00 to \$1,299.99	2%
\$1,300.00 to \$2,499.99	4%
\$2,500.00 to \$3,999.99	6%
\$4,000.00 to \$6,499.99	8%
\$6,500.00 or more	10%

Example			
			2200 00
	LESS 4% Discount		(88 00)
			2112 00
SALES TAX ON RETAIL			
FREIGHT CHARGES <small>COMPUTE PER CURRENT PRICE LIST. (G-26)</small>			
FREIGHT SURCHARGE <small>ALASKAN ORDERS</small>			
AMOUNT DUE W/ORDER			

ALASKA FREIGHT SURCHARGE: For purchases made from the Distribution Center in Alaska, add 7.5% to Dealer Cost (after deducting the Purchase Discount) for extra freight expense from contiguous U.S. to Alaska.

HAWAII ORDERING INFORMATION: Call 1-800-777-7094. Your order will be shipped from the AMSOIL Distribution Center in Portland, OR. Your order will be shipped **freight collect by best possible method.**

**FOR AQUABRITE AND ALTRUM PRODUCT PRICES, REFER TO YOUR G-326 PRICE LIST.
FOR LITERATURE & SALES AIDS, REFER TO YOUR G-15 PRICE LIST.**

AMSOIL INC., AMSOIL BUILDING, SUPERIOR, WI 54880-1527
PHONE (715) 392-7101 FAX (715) 392-5225 or 392-5267

AMSOIL TOLL-FREE ORDERING LINE: 1-800-777-7094 www.amsoil.com



Series 2000 Synthetic 0W-30 Motor Oil
 Race-proven technology designed for passenger cars. Outperforms conventional and synthetic 30-weight motor oils. Ideal for hot and cold climates. Superior low temperature flow, fuel efficiency and wear protection. Recommended for all domestic and foreign vehicles requiring either 0W, 5W, or 10W-30 motor oils. Global performance specifications include:
API SL/CF, ILSAC GF-3, ACEA A2/3 B2/3/4

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
SERIES 2000 - SAE 0W-30 Synthetic Motor Oil					
TSO-QT	(1) quart btl	2.1	4.90	6.55	8.50
TSO-01	(12) quart btl	24.6	58.80	75.00	100.80
TSO-1G	(1) gallon	7.9	19.00	25.95	32.05
TSO-04	(4) gallons	31.7	76.00	98.80	126.60
TSO-30	30-gallon drum	242	361.00	658.00	797.00
TSO-55	55-gallon drum	437	649.00	1183.00	1398.00



Series 2000 Synthetic 20W-50 Racing Oil
 Engineered for high performance racing or street gasoline engines. Contains particular chemistry for high-film strength. Reduces friction and up to four times the wear protection of conventional 50-weight motor oils. Global performance specifications include:
API SL/CF, ACEA A2/3 B2/3, JASO MB & VTW

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
SERIES 2000 - SAE 20W-50 Synthetic Racing Oil					
TRO-QT	(1) quart btl	2.1	4.90	6.55	8.50
TRO-01	(12) quart btl	25.3	58.80	75.00	100.80
TRO-1G	(1) gallon btl	8.1	19.00	25.95	32.05
TRO-04	(4) gallon btls	32.4	76.00	98.80	126.60
TRO-30	30-gallon drum	246	361.00	658.00	797.00
TRO-55	55-gallon drum	445	649.00	1183.00	1398.00

XL Synthetic Motor Oil

Specifically designed for extended drain intervals beyond 3,000 miles as established by vehicle manufacturers such as Honda (10,000 miles in certain vehicles) and for those vehicles equipped with oil monitoring devices. Standard drain interval recommendation is 7500 miles where the vehicle manufacturer does not specify extended drain intervals. Performance specifications include: **API SL, ILSAC GF-3**



Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
SAE 5W-30 XL-7500 Synthetic Motor Oil					
XLF-QT	(1) quart btl	2	2.80	3.95	5.20
XLF-01	(12) quart btl	24.4	33.60	45.00	61.20
XLF-30	30-gallon drum	237	262.00	413.00	510.00
XLF-55	55-gallon drum	428	434.00	746.00	901.00
SAE 10W-30 XL-7500 Synthetic Motor Oil					
XLT-QT	(1) quart btl	2.1	2.80	3.95	5.20
XLT-01	(12) quart btl	24.6	33.60	45.00	61.20
XLT-30	30-gallon drum	237	262.00	413.00	510.00
XLT-55	55-gallon drum	428	434.00	746.00	901.00

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
SAE 5W-20 XL-7500 Synthetic Motor Oil, API SL, Ford WSS-M2C153-H, ILSAC GF-3					
XLM-QT	(1) quart btl	2	2.80	3.95	5.20
XLM-01	(12) quart btl	24.5	33.60	45.00	61.20
XLM-30	30-gallon drum	237	262.00	413.00	510.00
XLM-55	55-gallon drum	428	434.00	746.00	901.00

SAE 10W-40 XL-7500 Synthetic Motor Oil API SL

XLO-QT	(1) quart btl	2.1	2.80	3.95	5.20
XLO-01	(12) quart btls	24.6	33.60	45.00	61.20
XLO-30	30-gallon drum	237	262.00	413.00	510.00
XLO-55	55-gallon drum	428	434.00	746.00	901.00



Synthetic Motor Oils

Engineered to outperform all conventional gasoline engine motor oils. Reduce heat, friction, and wear for maximum power, performance, and fuel efficiency. Clean engine formula. Resists high temperature break down that forms sludge and varnish. Lasts longer and protects better. Ideal for hot and cold climates. Recommended for all domestic and foreign vehicles where the most demanding worldwide specifications are

listed. This includes gasoline and light duty diesel engines, both turbo and non-turbo. Global performance specifications include:
API SL/CF, ILSAC GF-3, ACEA A2/3/ B2/3, JASO VTW

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
SAE 5W-30 Synthetic Motor Oil					
ASL-QT	(1) quart btl	2	3.35	4.65	5.95
ASL-01	(12) quarts btl	24.5	40.20	53.40	70.20
ASL-1G	(1) gallon	7.6	14.35	18.60	23.40
ASL-04	(4) gallons	31.6	57.40	70.80	92.00
ASL-30	30-gallon drum	239	295.00	491.00	589.00
ASL-55	55-gallon drum	431	489.00	889.00	1040.00

SAE 10W-30 Synthetic Motor Oil

ATM-QT	(1) quart btl	2.1	3.35	4.65	5.95
ATM-01	(12) quart btls	24.7	40.20	53.40	70.20
ATM-1G	(1) gallon	7.9	14.35	18.60	23.40
ATM-04	(4) gallons	31.7	57.40	70.80	92.00
ATM-TP	(1) 2.5 gallon	19.5	35.60	45.05	56.75
ATM-05	(2) 2.5 gallons	39	71.20	85.80	111.50
ATM-30	30-gallon drum	239	295.00	491.00	589.00
ATM-55	55-gallon drum	432	489.00	889.00	1040.00

Synthetic 5W-40 European Engine Oil



Specially formulated for the lubrication needs of European gasoline and diesel cars and light trucks. Blended with a broad 5W-40 viscosity rating. Allows for the maximum extended drain intervals recommended while providing superior protection and performance. Global performance specifications include: **API SL/CI-4+/CF, ACEA A3/B3/B4, BMW LL-01/98, Daimler Chrysler 229.3/229.5, Opel Long Life Service Fill GM-LL-A-025, Opel Diesel Service Fill GM-LL-B-025, Porsche, Volvo, Saab, VW 501.01/502.00/503.00/505.00/506.00**

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
Synthetic 5W-40 European Engine Oil					
AFL-QT	(1) quart bottle	2.1	3.45	4.90	6.45
AFL-01	(12) quart bottles	24.8	41.40	55.80	76.20
AFL-30	30 gallon drum	244.1	303.00	504.00	611.00
AFL-55	55 gallon drum	437.9	477.00	868.00	1032.00



Synthetic Heavy Weight Racing Oil SAE 60

High-viscosity oil designed for high horsepower racing engines, typically supercharged and alcohol-burning or nitro-fueled, and requiring a high-viscosity oil to resist the thinning effects of fuel dilution. Also ideal for motorcycles where SAE 60 motor oil is required. Performance specifications include: **API SJ/CF, JASO MB**

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
SAE 60 Synthetic Heavy Racing Oil						
AHR-QT	(1) quart btl.	2.1	5.10	6.65	8.55	
AHR-01	(12) quart btls.	25	61.20	76.20	101.40	
AHR-TP*	(1) 2.5 gallon	19.9	46.20	61.90	74.75	
AHR-05*	(2) 2.5 gallon	39.7	92.40	117.90	147.50	

* Not stocked in all Distribution Centers. Call for availability.



Synthetic High Performance Motor Oils

Formulated for use in both gasoline and diesel engines. Offer multi-functionality and excellent wear protection. Ideal for applications where the extra protection of a higher viscosity oil is desired. Excellent for motor homes and older vehicles, as well as most types of modern equipment. Performance specifications include:

API SL/CF & CI-4+

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
SAE 10W-40 Synthetic High Performance Motor Oil						
AMO-QT	(1) quart bottle	2.1	3.35	4.65	5.95	
AMO-01	(12) quarts bottles	24.7	40.20	53.40	70.20	
AMO-1G	(1) gallon	8	14.35	18.60	23.40	
AMO-04	(4) gallons	31.8	57.40	70.80	92.00	
AMO-TP	(1) 2.5 gallon	19.5	35.60	45.05	56.75	
AMO-05	(2) 2.5 gallons	39	71.20	85.80	111.50	
AMO-30	30-gallon drum	239	295.00	491.00	589.00	
AMO-55	55-gallon drum	432	489.00	889.00	1040.00	
SAE 20W-50 Synthetic High Performance Motor Oil						
ARO-QT	(1) quart bottle	2.1	3.75	5.10	6.70	
ARO-01	(12) quart bottles	25.1	45.00	58.20	79.20	
ARO-1G	(1) gallon	8.1	15.60	19.95	25.95	
ARO-04	(4) gallons	32.4	62.40	76.00	102.20	
ARO-16	16-gallon keg	132.9	172.00	286.00	351.00	
ARO-30	30-gallon drum	246	340.00	508.00	616.00	
ARO-55	55-gallon drum	443	548.00	913.00	1086.00	



Formula 4-Stroke Synthetic Motor Oil 0W-40

Specially formulated for four-stroke recreational motors, including ATV's, outboard motors, personal watercraft, snowmobiles and motorcycles. Contains rust inhibitors to protect motors operating on water. Prevents wear in high RPM motors. Wet clutch compatible. Contains no friction modifiers. Broad viscosity range makes it excellent for use in both hot and cold weather conditions. Performance specifications include:

API SG/CF, JASO MA

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
SAE 0W-40 Formula 4-Stroke Synthetic Motor Oil						
AFF-QT	(1) quart bottle	2	3.75	5.20	6.65	
AFF-01	(12) quart bottles	24.4	45.00	59.40	78.60	
AFF-30	30 gallon drum	242	321.00	535.00	640.00	
AFF-55	55 gallon drum	434	510.00	931.00	1086.00	



Synthetic Motorcycle Oils

Formulated for maximum protection of motorcycle engines (liquid or air cooled, standard or V-twin), transmissions and primary chaincases. High levels of phosphorus and zinc provide maximum wear protection. Wet clutch compatible. Contains no friction modifiers. Anti-foam and viscosity stable for best possible overall protection. Performance specifications include: **API SG/CF, JASO MA**

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
SAE 10W-40 High Performance Motorcycle Engine Oil						
AMF-QT	(1) qt btl	2	3.35	4.65	5.95	
AMF-01	(12) qt btls	24.7	40.20	53.40	70.20	
AMF-30	30-gal drum	242	295.00	491.00	589.00	
AMF-55	55-gal drum	434	489.00	889.00	1040.00	

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
SAE 20W-50 High Performance Motorcycle Engine Oil						
AMV-QT	(1) qt btl	2	3.75	5.10	6.70	
AMV-01	(12) qt btls	25	45.00	58.20	79.20	
AMV-30	30-gallon drum	245	340.00	508.00	616.00	
AMV-55	55-gallon drum	440	548.00	913.00	1086.00	

Suspension Fluids

Control friction, heat, wear, foaming and scuffing in suspension components. High viscosity index and shear stability performance control shock fade and inconsistent dampening in temperature extremes.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
Shock Therapy Suspension Fluid #5 Light						
STL-QT	(1) qt btl	1.9	4.60	6.45	8.75	
STL-01	(12) qt btls	23.3	55.20	73.80	103.80	
STL-05	(1) 5-gallon pail	37.7	80.00	114.75	147.25	

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
Shock Therapy Suspension Fluid #10 Medium						
STM-QT	(1) qt btl	2.1	4.35	6.10	8.20	
STM-01	(12) qt btls	24.6	52.20	69.60	97.20	
STM-05	(1) 5-gallon pail	38.1	75.75	108.75	139.75	

Synthetic Natural Gas Engine Oil

SAE (20W)-40 Synthetic Natural Gas Engine Oil, Low Ash, API CC

ANG-05	(1) 5-gallon pail	39.2	70.50	91.50	116.75	
ANG-55*†	55-gallon drum	433	447.00	814.00	944.00	

* Not stocked in all Distribution Centers. Call for availability and application.

† Not recommended for conventional gasoline motors.



Series 3000 Synthetic 5W-30 Heavy Duty Oil

Long service life oil engineered for both diesel and gasoline engines including turbo charged vehicles. Provides superior wear protection and fuel efficiency compared to conventional oils. Premium synthetic oils and additives with 12 TBN chemistry resists oil breakdown from heat, blow-by chemicals, acids and oxygen. Improves cold temperature starting. Global performance specifications include:

API CI-4+/SL/CF, EO-N + 03', DHD-1, ECF-1, ACEA A3/ B3/ E3/ E5, VDS-3

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
SERIES 3000 - SAE 5W-30 Synthetic Heavy Duty Diesel Oil						
HDD-QT	(1) quart btl	2.1	4.90	6.55	8.50	
HDD-01	(12) quart btls	24.8	58.80	75.00	100.80	
HDD-TP	(1) 2.5 gal btl	19.6	45.25	61.70	76.00	

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
HDD-05	(2) 2.5 gal btl	39.2	90.50	117.50	150.00
HDD-1G	(1) gallon	8	19.00	25.95	32.05
HDD-04	(4) gallons	32	76.00	98.80	126.60
HDD-30	30-gallon drum	243	361.00	658.00	797.00
HDD-55	55-gallon drum	439	649.00	1183.00	1398.00

Synthetic 15W-40 Heavy Duty Diesel Oils



Engineered for all types of diesel engines with an emphasis on modern, low emission heavy-duty diesel engines. High 12 TBN controls acids from combustion blow-by and EGR. High levels of detergency and dispersancy additives control soot thickening, oxidation and wear. Prevents bore polishing, deposit formation, and ring sticking. Provides clean engine performance. Extended drain capabilities reduce downtime and motor oil expenses. Global performance specifications include:

API CI-4+/SL/CF/CF-2, EO-N+03', DHD-1, ECF-1, VDS-3

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

SAE 15W-40 Synthetic Heavy Duty Diesel and Marine Motor Oil

AME-QT	(1) quart bottle	2.1	2.55	4.10	5.35
AME-01	(12) quart bottles	24.9	30.60	46.80	63.00
AME-1G	(1) gallon	8	10.80	16.25	21.10
AME-04	(4) gallons	32	43.20	61.80	82.80
AME-TP	(1) 2.5 gallon	19.6	27.20	38.60	50.25
AME-05	(2) 2.5 gallon	39.1	54.40	73.50	98.50
AME-30	30-gallon drum	244	247.00	411.00	510.00
AME-55	55-gallon drum	441	347.00	694.00	861.00

SAE 15W-40 Synthetic Blend Diesel Oil

PCO-QT	(1) quart bottle	2.1	2.20	3.45	4.35
PCO-01	(12) quart bottles	24.7	26.40	39.00	51.00
PCO-1G	(1) gallon	8	10.05	13.20	16.45
PCO-04	(4) gallons	31.9	40.20	50.20	64.20
PCO-TP	(1) 2.5 gallon	19.8	24.65	32.35	39.50
PCO-05	(2) 2.5 gallons	39.5	49.30	61.60	77.00
PCO-30	30-gallon drum	244	222.00	341.00	419.00
PCO-55	55-gallon drum	441	284.00	568.00	699.00

Synthetic SAE 30 Heavy Duty Diesel



Specifically formulated to meet heavy-duty diesel performance requiring mono-grade lubricant. Outstanding performance in wear protection and soot control. Recommended for applications requiring performance quality of:

CI-4+/SL/CF/CF-2

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

SAE 30 Synthetic Diesel Oil

ACD-1G	(1) gallon	8.1	12.95	17.00	21.80
ACD-04	(4) gallons	32.4	51.80	64.80	85.60
ACD-30	30-gallon drum	244	277.00	426.00	534.00
ACD-55	55-gallon drum	441	382.00	720.00	865.00



SEVERE GEAR Synthetic EP Lubricants

Specifically engineered for high demand applications, including trailer towing, heavy hauling, 4X4 off road driving, commercial use, and racing. Superior lube "film strength" combined with extra additives protects gears and bearings from scoring and wear. Resist high heat and possess excellent cold flow properties. *Outperforms all conventional gear oils.* Recommended for all types of vehicles such as turbo diesel pick-ups, SUVs, autos, trucks, heavy equipment and motor homes. Compatible with most limited-slip differentials. Performance specifications include: API GL-5/MT-1, MIL-PRF-2105E, GO-J, SHAES 234 (Eaton PS-037)

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

SEVERE GEAR 75W-90

SVG-QT	(1) quart bottle	2.0	5.20	7.30	9.25
SVG-01	(12) quart bottles	24.5	62.40	83.40	109.80
SVG-05	(1) 5-gallon pail	38.8	96.00	128.00	169.00
SVG-16	16 gallon keg	131.0	240.00	400.00	500.00
SVG-30	30 gallon drum	241.0	337.00	674.00	829.00
SVG-55	55 gallon drum	432.0	603.00	1206.00	1471.00

SEVERE GEAR 75W-140

SVO-QT	(1) quart bottle	2.1	6.70	9.35	12.05
SVO-01	(12) quart bottles	24.7	80.40	106.80	143.40
SVO-05	(1) 5-gallon pail	39.2	124.50	166.00	217.50
SVO-16	16 gallon keg	132.0	311.00	519.00	649.00
SVO-30	30 gallon drum	244.0	441.00	881.00	1066.00
SVO-55	55 gallon drum	437.0	793.00	1586.00	1919.00

Long Life Synthetic Gear Lubes



Specifically engineered for extended drain intervals up to 500,000 miles as set by equipment manufacturers for over-the-road trucks and heavy equipment. Prevents wear and improves equipment life. Excellent "All Season" summer and winter performance. *Outperforms all conventional gear oils.* Also excellent for passenger cars and trucks. Compatible with most limited-slip differentials. Performance specifications include: API GL-5/MT-1, MIL-PRF-2105E, GO-J+, SHAES 256 (Eaton PS-163)

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

75W-90 Long Life Gear Lube

FGR-QT	(1) quart bottle	2.1	4.60	5.90	7.70
FGR-01	(12) quart bottles	25.0	55.20	67.20	91.20
FGR-1G	(1) gallon	8.1	18.05	22.60	29.65
FGR-04	(4) gallons	32.3	72.20	86.00	117.00
FGR-05	(1) 5-gallon pail	39.7	90.50	105.20	143.00
FGR-16	16 gallon keg	133.4	209.00	322.00	415.00
FGR-30	30 gallon drum	246.0	348.00	553.00	691.00
FGR-55	55 gallon drum	442.0	531.00	931.00	1154.00

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
80W-140 Long Life Gear Lube					
FGO-05	(1) 5-gallon pail	40.0	85.20	106.50	145.00
FGO-16	16 gallon keg	135.0	212.00	326.00	421.00
FGO-30	30 gallon drum	249.0	353.00	560.00	700.00
FGO-55	55 gallon drum	446.0	538.00	943.00	1169.00



Synthetic 80W-90 Gear Lube

High quality replacement for applications specifying SAE 80W-90 conventional gear lube. Synthetic construction provides improved cold flow properties, high viscosity index and heat resistance. Contains an over treat of high quality additives, exceeding the minimum standards. Provides excellent wear protection and long equipment life. Performance specifications include: API GL-5/MT-1, MIL-PRF-2105E, GO-J, SHAES 234 (Eaton PS-037)

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
SAE 80W-90 Synthetic Gear Lube					
AGL-QT	(1) quart bottle	2.1	4.05	5.65	7.40
AGL-01	(12) quart bottles	25.2	48.60	64.80	87.60
AGL-1G	(1) gallon	8.1	15.55	21.80	28.40
AGL-04	(4) gallons	32.4	62.20	83.00	112.00
AGL-05	(1) 5 gallon pail	39.8	75.50	100.70	136.00
AGL-16	16-gallon keg	133.9	203.00	312.00	390.00
AGL-30	30-gallon drum	244	336.00	525.00	656.00
AGL-55*	55-gallon drum	441	501.00	894.00	1118.00

* Not stocked in all Distribution Centers. Call for availability and application.

Series 2000 Synthetic 75W-90 and 75W-140 Gear Lubes



Deliver unbeatable power-enhancing protection, thermal stability and fuel economy. AMSOIL Series 2000 Gear Lubes provide maximum protection in both heavy-duty and severe-service operations. The Series 2000 Gear Lubes supply limited slip performance without aftermarket limited slip additives. Both are recommended for use in all passenger vehicles, commercial trucks and race vehicles. **Note:** check the G-50 Product Selection Guide

for proper viscosity and quantity needed. **(GL-2 Through GL-5), MT-1**

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
SERIES 2000 SAE 75W-90 Synthetic Gear Lube					
TGR-QT	(1) quart bottle	2.1	5.10	7.20	9.20
TGR-01	(12) quart bottles	25.3	61.20	82.20	109.20
TGR-05	(1) 5-gallon pail	40.3	95.00	127.00	167.50
TGR-16	16-gallon keg	135.2	237.00	396.00	513.00
TGR-30	30-gallon drum	248	331.00	662.00	823.00
TGR-55	55-gallon drum	448	598.00	1197.00	1465.00

Series 2000 SAE 75W-140 Synthetic Gear Lube

TGO-QT	(1) quart bottle	2.2	6.70	9.35	12.05
TGO-01	(12) quart bottles	26.2	80.40	106.80	143.40
TGO-05	(1) 5-gallon pail	41.7	124.50	166.00	217.00
TGO-16	16-gallon keg	132	309.00	515.00	659.00
TGO-30	30-gallon drum	258	438.00	876.00	1073.00
TGO-55	55-gallon drum	464	792.00	1586.00	1912.00

While Supplies Last.



Slip-Lock Differential Additive

Formulated with advanced friction modifier. Designed to eliminate gear-housing chatter in cars, trucks and SUVs equipped with limited-slip, posi-traction and locking differentials. Formulated for use with both synthetic and petroleum gear lubricants and safely replaces manufacturer-recommended friction modifiers.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
Slip Lock Differential Additive					
ADA-BA	(1) 4-oz. bottle	.3	3.90	5.15	6.75
ADA-12	(12) 4-oz. bottles	3.9	46.80	59.00	79.80

Synthetic Gear Lubes

Provides the long-lasting protection, fuel efficiency and dependability needed for top performance, even in extreme-pressure conditions. Stays fluid in cold temperatures for easy cold-weather shifting. Excellent for use in passenger cars and trucks requiring a GL-5 gear lube, including those with limited slip differentials. **(GL-2 thru GL-5), MT-1**

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
SAE 75W-90 Synthetic Gear Lube					
AGR-QT	(1) quart bottle	2.1	4.60	5.85	7.65
AGR-01	(12) quart bottles	24.8	55.20	66.60	90.60
AGR-1G	(1) 1 gallon	8	18.15	22.35	29.85
AGR-04	(4) gallons	31.8	72.60	85.20	117.80
AGR-TP	(1) 2.5 gallon	19.7	45.55	54.70	72.75
AGR-05	(2) 2.5 gallons	39.4	91.10	104.20	143.50
AGR-16	16-gallon keg	132.4	208.00	322.00	414.00
AGR-30	30-gallon drum	242	351.00	549.00	671.00
AGR-55	55-gallon drum	437	539.00	904.00	1148.00

SAE 85W-140 Synthetic Gear Lube

AGO-05	(1) 5-gallon pail	40.8	91.10	104.20	143.50
AGO-16	16-gallon keg	137.1	208.00	322.00	414.00
AGO-30	30-gallon drum	251	351.00	549.00	671.00
AGO-55	55-gallon drum	453	539.00	904.00	1148.00

While Supplies Last.


SAE 80W-90 Synthetic Gear Lube (GL-4), MT-1

AGT-1G	(1) 1 gallon	8.2	11.35	15.85	20.50
AGT-04	(4) gallons	32.8	45.30	60.40	80.40
AGT-05	(1) 5-gallon pail	39.5	54.00	74.00	96.20
AGT-55*	55-gallon drum	453	445.00	664.00	797.00

* Not stocked in all Distribution Centers. Call for availability and application.

SAE 80W-90 Synthetic Marine Lower Unit Gear Lube (GL-4), MT-1

ALU-TB	(1) 8-oz. tube	1.6	2.50	3.45	4.55
ALU-06	(6) 8-oz. tubes	3.5	15.00	19.80	26.70
ALU-QT	(1) quart bottle	2.1	3.40	4.80	6.25
ALU-01	(12) quart bottles	25.1	40.80	54.60	73.80



Oil Fill Hand Pump

Specifically designed to fit AMSOIL quart, gallon and Twin Pack bottles. Guarantees efficient, quick dispensing of AMSOIL gear oils, transmission fluids and any oil that may need to be pumped. Great for fluid fills in differentials, transmissions, transaxles, boat lower units and boat sterndrives.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
Oil Fill Hand Pump					
G-2039	(1) Hand Pump	1.0	-.	9.95	-.



Series 2000 Synthetic Chaincase Lubricant

Provides superior protection and performance for enclosed chains. Ideal for snowmobiles, ATVs and general equipment. Extreme pressure additives provide extra wear protection. Extends chain life, repels water, and inhibits rust, oxidation and foam. Superior low temperature starting, performance and protection.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

Series 2000 Synthetic Chaincase Lubricant

TCC-BE	(1) 12-oz. bottle	.8	2.85	4.00	5.40
TCC-06	(6) 12-oz. bottles	4.8	17.10	22.80	31.80
TCC-05	(1) 5-gallon pail	32.4	69.75	99.75	128.00



Synthetic Universal Automatic Transmission Fluid

Meets the requirements of most automatic transmissions. Eliminates confusion, mis-applications and lowers inventory requirements. Delivers maximum protection and is excellent in demanding environments such as towing, hauling or commercial use. Lasts longer than conventional oil for extended drain intervals. Saves time and costly

maintenance expenses. Superior hot and cold weather performance. Improves efficiency and typically reduces operating temperatures by as much as 50°F. Performance specifications include: **GM Dexron®III, Ford Mercon & Mercon V, Chrysler ATF+ through ATF+4, Allison C-4, Cat TO-3, Voith, ZF TE-ML-14C, Toyota Type T & T-IV, Mitsubishi/Hyundai SP-III, Honda Z-1**

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

Synthetic Universal Automatic Transmission Fluid

ATF-QT	(1) quart bottle	2	4.60	6.00	7.85
ATF-01	(12) quart bottles	24.4	55.20	68.40	93.00
ATF-TP	(1) 2.5 gallon	19.3	45.85	55.95	74.55
ATF-05	(2) 2.5 gallons	38.5	91.70	106.60	147.10
ATF-30	30-gallon drum	234	354.00	557.00	691.00
ATF-55	55-gallon drum	423	549.00	930.00	1181.00

Synthetic Supershift Racing Transmission Fluid, SAE 10W

Delivers outstanding performance in high performance, high horsepower vehicles. Formulated without friction modifiers and viscosity improvers for positive clutch pack engagement and stable viscosity. Prevents slippage and lowers heat compared to conventional transmission fluids. Superb high temperature resistance prevents oxidation and varnish. Prevents wear, lasts longer and improves transmission life. Recommended for racing and street performance automatic transmissions. Performance specifications: **Allison C-4, Ford Type F**

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

Synthetic Supershift Racing Transmission Fluid, SAE 10W

ART-QT	(1) quart bottle	2	4.20	5.80	7.45
ART-01	(12) quart bottles	24.3	50.40	66.00	88.20

Synthetic Powershift Transmission Fluids

Specifically formulated for heavy-duty powershift transmissions. Provide outstanding friction performance for enhanced clutch engagement. Prevent slippage and glazing. Shear stable and anti-wear fortified. Protect gears and bearings. Resist high temperature oxidation, varnish and sludge formation. Superb cold flow properties. Extended drain interval capable. Recommended for heavy-duty service found in commercial and earth moving applications as well as lighter duty transmissions requiring the listed specifications. SAE 50 & 30 are also excellent for manual transmissions.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

Synthetic Powershift Transmission Fluid SAE 10W;

TO-4, C-4, ZF TE-ML 03A, Komatsu TO-10, API GL-1

CTG-05	(1) 5-gallon pail	38.6	63.00	85.00	114.75
CTG-55*	55-gallon drum	430	527.00	810.00	956.00

*Not stocked in all Distribution Centers. Call for availability.

Synthetic Powershift Transmission Fluid SAE 30;

TO-4, C-4, ZF TE-ML 03C, Komatsu TO-30, API GL-1

CTJ-05	(1) 5-gallon pail	39.2	66.75	90.20	121.75
CTJ-55*	55-gallon drum	436	560.00	862.00	1018.00

*Not stocked in all Distribution Centers. Call for availability.

Synthetic Powershift Transmission Fluid SAE 50;

TO-4, C-4, CD-50, Komatsu TO-50, API GL-1

CTL-05	(1) 5 gallon pail	39.8	70.75	95.50	129.00
CTL-55*	55-gallon drum	440	595.00	915.00	1080.00

*Not stocked in all Distribution Centers. Call for availability.



Torque-Drive Synthetic Automatic Transmission Fluid

Engineered specifically for the Allison TES-295 transmission fluid specification. Replaces Allison/Castrol Transynd® fluid. Excellent protection in temperature extremes. Prevents sludge and varnish buildup. Ensures consistent, smooth clutch engagement over the life of the fluid and prevents clutch glazing and elongated shift times.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

Torque-Drive Synthetic Transmission Fluid

Recommended for use in applications specifying Allison® TES-295 or C-4, Dexron® III, Mercon®, TE-ML 14C

ATD-1G	(1) Gallon	7.8	16.90	23.65	32.65
ATD-04	(4) Gallons	31.2	67.60	90.00	129.00
ATD-TP	(1) 2.5 Gallon	19.2	37.50	56.50	78.00
ATD-05	(2) 2.5 Gallons	38.2	75.00	107.50	154.00
ATD-16	16 Gallon Keg	128.8	218.00	336.00	447.00
ATD-30	30 Gallon Drum	237.5	360.00	600.00	798.00
ATD-55	55 Gallon Drum	425.7	582.00	1059.00	1408.00
ATD-27	275 Gallon Tote	2053.5	2910.00	5245.00	7040.00

Synthetic Two-Cycle Oils

Engineered for maximum performance in specific applications, yet recommended for use in multiple applications. All two-cycle oils contain application specific additives designed to prevent carbon build-up, ring sticking, plug fouling and varnish formation. All two-cycle oils provide excellent lubricity to prevent wear and piston scuffing.



HP Injector™

Excellent for all outboard motors with a performance emphasis on modern direct fuel injected (DFI) technology. Also recommended for personal watercraft, jet boats, motorcycles, snowmobiles and ATVs. Injector use or 50:1 premix.
TC-W3, API TC

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------	------------------

HP Injector Oil

TC-W3, API TC (Injection or 50:1 Pre-Mix)

HPI-QT	(1) quart bottle	2.0	2.50	4.20	5.60	
HPI-01	(12) quart bottles	24.5	30.00	48.00	66.00	
HPI-1G	(1) gallon bottle	7.9	9.70	16.35	21.80	
HPI-04	(4) gallon bottles	31.7	38.80	62.20	85.60	
HPI-16	16-gallon keg	130.7	149.00	239.00	305.00	
HPI-30	30 gallon drum	241.1	249.00	416.00	537.00	
HPI-55	55 gallon drum	432.3	388.00	707.00	911.00	



Dominator™

This racing two-cycle oil has a performance emphasis toward high horsepower and modified racing or trail motors. Examples include snowmobiles, motorcycles, ATVs, personal watercraft and go-carts. Contains higher viscosity oils for best overall protection. Contains additives for higher operating temperatures. Injector use or 50:1 premix. **JASO FC, API TC**

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------	------------------

DOMINATOR 2-Cycle Oil

API TC, JASO FC

TDR-QT	(1) quart bottle	2.1	4.60	6.45	8.75	
TDR-01	(12) quart bottles	25.1	55.20	73.80	103.80	
TDR-1G	(1) gallon bottle	8.1	17.00	24.15	32.85	
TDR-04	(4) gallon bottles	32.4	68.00	92.00	129.80	
TDR-16	16-gallon keg	133.7	234.00	362.00	467.00	
TDR-30	30-gallon drum	246.7	413.00	664.00	823.00	
TDR-55	55-gallon drum	442.6	725.00	1210.00	1453.00	



Interceptor™

A high-performance two-cycle oil with a performance emphasis on exhaust power valves. Excellent for all types of snowmobiles, motorcycles, personal watercraft, ATV's and jet boats. Contains high levels of detergent additives to prevent valve sticking. High quality replacement for manufacturer branded oils. Injector use or 50:1 premix. **JASO FC, API TC**

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------	------------------

Synthetic Interceptor 2-Cycle Oil

AIT-QT	(1) Quart	2.1	3.65	5.10	7.05	
AIT-01	(12) Quarts	25.5	43.80	58.20	83.40	
AIT-1G	(1) Gallon	8.2	14.20	19.85	27.40	
AIT-04	(4) Gallons	33.0	56.80	75.60	108.00	
AIT-16	16-gallon keg	136.0	181.0	278.00	370.00	
AIT-30	30-gallon drum	251.0	295.00	492.00	654.00	
AIT-55	55-gallon drum	451.0	473.00	861.00	1145.00	



Saber™ Two-Cycle Oils

Designed for pre-mix applications as lean as 100:1 ratios. Richer mix ratios may be used where desired. Saber™ oils improve throttle response, lower or eliminate smoke, prevent deposit formation, and lower emissions.

Saber™ Professional has a performance emphasis on hand-held power equipment such as chain saws and lawn/utility equipment.

ISO-L-EGD, JASO FC, API TC

Saber™ Outboard has a performance emphasis on the cooler operations of water-cooled motors.

TC-W3 (pre-mix), API-TC

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------	------------------

Saber Professional

ATP-PK	(1) 1.5-oz. pack	0.2	0.55	0.80	1.10	
ATP-48	(48) 1.5-oz. packs	7.2	26.40	36.00	50.40	
ATP-BC	(1) 8-oz. bottle	0.7	1.45	2.35	3.10	
ATP-08	(12) 8-oz. bottles	8.6	17.40	27.00	36.00	
ATP-QT	(1) quart bottle	2.1	4.30	6.00	7.95	
ATP-01	(12) quart bottles	25.4	51.60	68.40	94.20	
ATP-30	30 gallon drum	250.2	356.00	593.00	713.00	
ATP-55	55 gallon drum	449.1	572.00	1040.00	1186.00	

Saber Outboard

ATO-BC	(1) 8-oz. bottle	0.7	1.55	2.50	3.25	
ATO-08	(12) 8-oz. bottles	8.7	18.60	28.20	37.80	
ATO-QT	(1) quart bottle	2.2	4.45	6.20	7.95	
ATO-01	(12) quart bottles	25.8	53.40	70.80	94.20	
ATO-30	30 gallon drum	252.2	362.80	605.00	727.61	
ATO-55	55 gallon drum	425.7	579.00	1052.00	1241.00	



Semi-Synthetic Bar and Chain Oil

Tacky formula clings to metal surfaces better than other oils. Delivers unparalleled lubrication and protection. Ideal for chainsaws.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------	------------------

Semi-Synthetic Bar & Chain Oil

ABC-QT	(1) quart	2.1	1.45	2.40	3.10	
ABC-01	(12) quarts	24.7	17.40	27.00	35.40	
ABC-05	(1) 5-gallon pail	39.2	31.00	42.00	55.60	
ABC-55*	55-gallon drum	455	151.00	365.00	420.00	

*Not stocked in all Distribution centers. Call for availability.



Series 2000 Synthetic Racing Grease

Ultimate protection for hard-driven, high-performance vehicles. Dramatically reduces friction and wear for improved performance. Excels at both high- and low-temperature performance. Outperforms other conventional and synthetic greases.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
SERIES 2000 - Synthetic Racing Grease, NLGI#2, GC/LB					
GRG-CR	(1) 14-oz. crtg	1	5.60	7.45	10.30
GRG-10	(10) 14-oz. crtgs	10	56.00	71.00	102.00
GRG-14	(40) 14-oz. crtgs	40	224.00	270.00	408.00
GRG-35	(1) 35-lb. lug	40	184.00	234.00	300.00
GRG-99*	(1) 120-lb. keg	132	405.00	675.00	837.00

* Not stocked in all Distribution Centers. Call for availability.



Synthetic Heavy-Duty Grease

Extreme-pressure, moly-fortified. Provides outstanding protection for four wheel drive steering knuckles, spring shackles, heavy equipment pivot joints and other components operating in high-load, low-speed conditions. NLGI #1 is preferred for cold temperatures and auto pumping systems. Offers excellent water washout resistance.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
Synthetic Heavy-Duty Grease, NLGI #1, GC/LB					
GHB-CR	(1) 14-oz. crtg	1	2.40	3.50	4.55
GHB-10	(10) 14-oz. crtgs	10	24.00	33.50	44.50
GHB-14	(40) 14-oz. crtgs	40	98.00	128.00	178.00
GHB-35	(1) 35-lb. lug	40	71.75	94.50	123.00
GHB-99*	(1) 120-lb. keg	132	155.00	272.00	351.00
GHB-40*	(1) 400-lb. drum	415	423.00	836.00	1053.00

* Not stocked in all Distribution Centers. Call for availability.

Synthetic Heavy-Duty Grease, NLGI #2, GC/LB

GHD-CR	(1) 14-oz. crtg	1	2.40	3.50	4.55
GHD-10	(10) 14-oz. crtgs	10	24.00	33.50	44.50
GHD-14	(40) 14-oz. crtgs	40	98.00	128.00	178.00
GHD-35	(1) 35-lb. lug	40	71.75	94.50	123.00
GHD-99	(1) 120-lb. keg	132	155.00	272.00	351.00
GHD-40	(1) 400-lb. drum	415	423.00	836.00	1053.00



Synthetic Multi-Purpose Grease

Reduces friction and wear in high-speed, high-temperature components such as automotive wheel bearings and electric motors. Keeps components running clean and trouble free for outstanding performance and long life. NLGI #0 and NLGI#1 greases have better mobility and are preferred for cold temperature and automatic pump systems. NLGI#0 is not recommended for automotive wheel bearings. NLGI#2 is the primary wheel bearing recommendation.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
Synthetic Multi-Purpose Grease, NLGI #0					
GLA-35	(1) 35-lb. lug	40	61.00	86.00	112.00
GLA-99*	(1) 120-lb. keg	132	147.00	262.00	338.00
GLA-40*	(1) 400-lb. drum	415	385.00	764.00	963.00

* Not stocked in all Distribution Centers. Call for availability.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
Synthetic Multi-Purpose Grease, NLGI #1, GC/LB					
GLB-CR	(1) 14-oz. ctg	1	2.05	3.15	4.10
GLB-10	(10) 14-oz. ctgs	10	20.50	30.00	40.00
GLB-14	(40) 14-oz. ctgs	40	84.00	112.00	160.00
GLB-35	(1) 35-lb. lug	40	61.00	86.00	112.00
GLB-99*	(1) 120-lb. keg	132	147.00	262.00	338.00
GLB-40*	(1) 400-lb. drum	415	385.00	764.00	963.00

* Not stocked in all Distribution Centers. Call for availability.

Synthetic Multi-Purpose Grease, NLGI #2, GC/LB

GLC-TB	(1) 8-oz. tube	.7	2.40	3.40	4.60
GLC-08	(12) 8-oz. tubes	8.0	28.80	39.00	54.00
GLC-CR	(1) 14-oz. ctgs	1	2.05	3.15	4.10
GLC-10	(10) 14-oz. ctgs	10	20.50	30.00	40.00
GLC-14	(40) 14-oz. ctgs	40	84.00	112.00	160.00
GLC-35	(1) 35-lb. lug	40	61.00	86.00	112.00
GLC-99	(1) 120-lb. keg	132	147.00	262.00	338.00
GLC-40	(1) 400-lb. drum	415	385.00	764.00	963.00



Synthetic Multi-Purpose Spray Grease

The same great AMSOIL Synthetic Multi-Purpose Grease in a convenient spray formulation. Ideal for greasing hard-to-reach equipment such as hinges, springs and other common applications. NLGI #1

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
Synthetic Multi-Purpose Spray Grease					
GLC-SC**	(1) 10½-fl. oz. can	1	3.35	4.55	6.10
GLC-16**	(12) 10½-fl. oz. cans	11.7	40.20	52.20	72.00

** Cannot be shipped via air freight or parcel post.

Synthetic High Viscosity Lithium Complex Grease NLGI #2

GVC-10	(10) 14-oz. ctgs.	10	27.00	36.00	46.50
GVC-14	(40) 14-oz. ctgs.	40	116.00	136.00	186.00



Synthetic Fifth Wheel and Open Gear Compound

Stays in place and protects over a broad temperature range without flaking in low temperatures or softening in high temperatures. Excellent for fifth wheel applications, with a convenient aerosol spray application that creates less mess. Designed to resist water washout. Can also be used in open gear applications.

Synthetic Fifth Wheel & Open Gear Compound, AGMA 14R

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
GFW-SC**	(1) 11.5 oz. spray can	1	4.65	6.20	8.40
GFW-06**	(6) 11.5 oz. spray cans	6.2	27.90	35.40	49.80

** Cannot be shipped via air freight or parcel post.



Synthetic Water Resistant Grease

Resists water washout and degradation. Unparalleled protection for boat trailer wheel bearings and other components frequently exposed to water. Stays in place, lubricates and prevents rust.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
Synthetic Water Resistant Grease, NLGI #2, GC/LB					
GWR-CR	(1) 14-oz. crtg	1	2.50	3.55	4.85
GWR-10	(10) 14-oz. crtgs	10	25.00	34.00	47.50
GWR-14	(40) 14-oz. crtgs	40	106.00	130.00	190.00
GWR-35	(1) 35-lb. lug	40	78.50	102.00	130.50
GWR-99*	(1) 120-lb. keg	132	175.00	292.00	365.00

* Not stocked in all Distribution Centers. Call for availability.

Synthetic Lithium Complex 00 EP "SPY" Grease

GSF-35*	(1) 35-lb. lug	40.0	176.00	223.00	286.00
GSF-99*	(1) 120-lb. keg	132.0	409.00	681.00	852.00
GSF-40*	(1) 400-lb. drum	415.0	1170.00	2127.00	2659.00

* Not stocked in all Distribution Centers. Call for availability.

X-Treme Synthetic Polymer Food Grade Grease

An ultra-premium lubricant designed for high levels of protection in food and pharmaceutical industry equipment. USDA H-1 rated for incidental contact with food.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

Synthetic Aluminum Complex Food Grade Grease (USDA H-1), NLGI #2 High Temperature EP

GXC-CR	(1) 14-oz. ctg	1	4.05	5.45	7.60
GXC-10	(10) 14-oz. ctgs	10	40.50	52.00	75.00
GXC-14	(40) 14-oz. ctgs	40	162.00	198.00	300.00
GXC-35	(1) 35-lb. lug	40	136.00	173.00	222.00
GXC-99*	(1) 120-lb. keg	132	298.00	496.00	621.00

* Not stocked in all Distribution Centers. Call for availability.



Synthetic Tractor Hydraulic/Transmission Oil SAE 5W-30

AMSOIL Synthetic Tractor Hydraulic/Transmission Oil is the modern lubricant for modern farm and industrial equipment as well as commercial and residential lawn tractors. Engineered specifically to meet the tough applications of heavy-duty, hydraulic-powered operations and the demands of hydrostatic transmissions. Exceeds the performance requirements of virtually every

piece of modern machinery. Provides exceptional lubrication to reduce wear, resist heat, protect against rust and extend fluid and equipment service life. Meets "All Season" summer and winter performance standards.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

Synthetic Tractor Hydraulic/Transmission Oil SAE 5W-30

ATH-QT	(1) quart bottle	2.1	3.05	4.15	5.35
ATH-01	(12) quart bottles	25.2	36.60	47.40	63.00
ATH-05	(1) 5-gallon pail	39	50.00	71.00	89.50
ATH-30	30-gallon drum	240	227.00	358.00	419.00
ATH-55	55-gallon drum	434	302.00	624.00	713.00

Synthetic Anti-Wear Hydraulic Oil

Protects hard-working hydraulic systems from the stress of high-pressure, high-load and heavy-duty operations. Remains fluid in cold temperatures for immediate cold-weather flow. Special anti-wear additives and rust inhibitors provide optimum protection to expensive equipment.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

Synthetic Anti-Wear Hydraulic Oil (ISO 15)

AWF-05	(1) 5-gallon pail	37.7	69.00	98.75	126.00
AWF-55*	55-gallon drum	419	515.00	936.00	1086.00

* Not stocked in all Distribution Centers. Call for availability.

Synthetic Anti-Wear Hydraulic Oil (ISO 22)

AWG-05	(1) 5-gallon pail	38	69.00	98.75	126.00
AWG-55*	55-gallon drum	421	515.00	936.00	1086.00

* Not stocked in all Distribution Centers. Call for availability.

Synthetic Anti-Wear Hydraulic Oil (ISO 32)

AWH-05	(1) 5-gallon pail	38.9	55.25	79.00	100.75
AWH-30	30-gallon drum	241.3	279.00	430.00	508.00
AWH-55	55-gallon drum	423	402.00	732.00	849.00

Synthetic Anti-Wear Hydraulic Oil (ISO 46)

AWI-05	(1) 5-gallon pail	38.9	57.75	82.50	105.25
AWI-55*	55-gallon drum	425	424.00	770.00	894.00

* Not stocked in all Distribution Centers. Call for availability.

Synthetic Anti-Wear Hydraulic Oil (ISO 68)

AWJ-05	(1) 5-gallon pail	39.1	63.75	91.00	116.25
AWJ-55*	55-gallon drum	428	469.00	852.00	988.00

* Not stocked in all Distribution Centers. Call for availability.

Synthetic Biodegradable Hydraulic Oil

Synthetic Biodegradable Hydraulic Oil (ISO 32/46, SAE 5W-20)

TBI-05	(1) 5-gallon pail	41.2	109.50	156.25	195.25
TBI-55*	55-gallon drum	458	853.00	1550.00	1783.00

* Not stocked in all Distribution Centers. Call for availability.



Synthetic Compressor Oil

The correct manufacturer-recommended viscosity grade of AMSOIL PC Series compressor oil is recommended for use in rotary screw, rotary vane, reciprocating and other compressor applications. Compatible with PAO-, ester- and petroleum-based compressor oils. They are not compatible with glycol- or silicone-based compressor oils. Consult AMSOIL INC. for further information.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

Synthetic Compressor Oil (ISO 32, SAE 10W)

PCH-05	(1) 5-gallon pail	38.4	63.50	90.75	116.25
PCH-55*	55-gallon drum	428	489.00	890.00	1042.00

* Not stocked in all Distribution Centers. Call for availability.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

Synthetic Compressor Oil (ISO 46, SAE 20)

PCI-QT	(1) quart bottle	2	3.65	5.15	6.45
PCI-01	(12) quart bottles	24.4	43.80	58.80	76.20
PCI-05	(1) 5-gallon pail	38.4	65.25	93.25	119.00
PCI-30	30-gallon drum	238.3	343.00	527.00	632.00
PCI-55	55-gallon drum	427.3	504.00	916.00	1072.00

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

Synthetic Compressor Oil (ISO 68, SAE 30)

PCJ-05	(1) 5-gallon pail	39	67.50	96.25	122.75
PCJ-55*	55-gallon drum	432	522.00	949.00	1111.00

* Not stocked in all Distribution Centers. Call for availability.

Synthetic Compressor Oil (ISO 100, SAE 40)

PCK-QT	(1) quart bottle	2.1	3.95	5.50	6.75
PCK-01	(12) quart bottles	24.6	47.40	63.00	79.80
PCK-05	(1) 5-gallon pail	38.8	69.75	99.75	127.25
PCK-30	30-gallon drum	240.8	369.00	567.00	680.00
PCK-55	55-gallon drum	431.8	544.00	989.00	1158.00

Synthetic Compressor Oil (ISO 150, SAE 50)

PCL-05	(1) 5-gallon pail	39	72.25	103.25	131.50
PCL-55*	55-gallon drum	437	559.00	1017.00	1190.00

* Not stocked in all Distribution Centers. Call for availability.

SIROCCO™ Synthetic Compressor Oil (ISO-32/46)

SEI-05	(1) 5-gallon pail	38.8	103.50	147.75	192.00
SEI-55	55-gallon drum	434.5	810.00	1473.00	1797.00



2-Stage Air Filters

Provides unsurpassed air filtration performance. Stops and holds more dirt than conventional air filters. Allows 30 percent more air flow than paper air filters, improves engine performance and fuel economy. Cleanable and reusable. Designed for

years of dependable service. AMSOIL also offers a complete line of Hastings Filters for virtually every transportation and equipment need. Order the G-194 (\$4.50 US) for automotive applications and the G-1555 (\$6.00 US) for heavy-duty applications.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

2-STAGE Air Filters

Pricing:

Group 1	2	12.85	15.55	21.90
Group 2	2	15.55	18.35	24.80
Group 3	2	18.10	21.20	28.45
Group 4	2	21.15	24.55	32.65
Group 5	2	26.75	30.20	40.80
Group 6	2	32.80	36.15	47.85
Group 7	2	48.35	52.95	70.20

Refer to the Oil and Air Filter Application Guide (G-194) to determine the correct air filter stock number.

Use Price Group 1 for TS-11, 12, 13, 14, 16, 17, 18, 23, 27, 35, 40, 41, 50, 55, 57, 59, 67, 71, 76, 77, 90

Use Price Group 2 for TS-05, 15, 20, 22, 32, 61, 63, 68, 69, 72, 78, 80, 95, 117, 170

Use Price Group 3 for TS-09, 19, 31, 43, 45, 47, 52, 53, 54, 58, 79, 81, 85, 87, 89, 91, 96, 97, 119, 120, 122, 125, 126, 127

Use Price Group 4 for TS-04, 06, 07, 08, 21, 24, 25, 33, 38, 49, 74, 88, 98, 101, 105, 110, 113, 115, 118, 124, 128, 152, 154, 155

Use Price Group 5 for TS-29, 51, 86, 93, 94, 102, 108, 109, 116, 121, 191

Use Price Group 6 for TS-83, 92, 103, 104, 106, 111, 114, 123, 129, 142, 160, 162, 176, 189

Use Price Group 7 for TS-139

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

POD Air Filters

POD	(1) filter	.4	8.80	13.10	17.30
------------	------------	----	------	--------------	-------



AMSOIL High Tack Foam Filter Oil

A special blend of synthetic polymers that allows maximum air flow and increased particle removing efficiency and capacity. Stays in place throughout service life and resists washout from carburetor fogging. Red color ensures even oil coverage across the entire filter

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

High Tack Foam Filter Oil

AFO-BC	(1) 8-oz. bottle	0.6	1.55	2.80	3.55
AFO-08	(6) 8-oz. bottles	3.6	9.30	15.90	20.70
AFO-SC	(1) 11-oz. spray can	1.0	3.00	4.50	5.95
AFO-06	(6) 11-oz. spray cans	6.0	18.00	25.80	35.10

Super Duty Oil Filters



A full-flow oil filter designed for extended drain intervals and severe service. The rugged filter body contains a high-tech blended filtration media composed of cellulose, synthetic and glass fibers. The advanced media increases capacity, efficiency and service life. AMSOIL also offers a complete line of Hastings Filters for virtually every transportation and equipment need.

Order the G-194 (\$4.50 US) for automotive applications and the G-1555 (\$6.00 US) for heavy-duty applications.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

Super Duty Full-Flow Engine Oil Filters (SDF)

Group 1	1	5.10	7.50	10.10
Group 2	1	5.85	8.25	10.80
Group 3	1	6.35	9.05	11.90
Group 4	1	7.85	10.55	13.90
Group 5	2	10.40	14.10	18.65

Group 1 SDF-23, 29, 30, 34, 57

Group 2 SDF-11, 15, 22, 24, 25, 32, 96

Group 3 SDF-10, 20, 36, 42, 44, 45, 52, 64, 84

Group 4 SDF-13, 59, 76

Group 5 SDF-26, 41, 80, 99

Super Duty Heavy Truck Oil Filters

SDF70	(1) Super Duty Oil Filter	2	11.90	16.10	21.00
SDF72	(1) Super Duty Oil Filter	2	15.65	21.15	28.20
SDF73	(1) Super Duty Oil Filter	2	17.70	23.70	31.45
SDF74	(1) Super Duty Oil Filter	2	29.85	40.00	52.85
SDF77	(1) Super Duty Oil Filter	2	17.70	23.70	31.45

Refer to the Oil and Air Filter Application Guide (G-194) to determine the correct air filter stock number.



Super Duty Motorcycle Oil Filters

A full-flow filter specifically designed for extended drain intervals and severe service for motorcycle and ATV applications. It provides superior efficiency and greater capacity than other popular filters.

	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
Super Duty Motorcycle Oil Filters				
Group 1	.3	2.65	4.20	5.45
Group 2	.3 - .5	3.00	4.80	5.95
Group 3	.2 - .4	3.40	5.40	6.95
Group 4	.2 - .8	4.35	6.90	8.75
Group 5	.7 - 1.0	4.90	7.80	9.75
Group 6	.6 - 1.0	6.30	9.95	12.75

Group 1: SMF-104, 105, 106

Group 2: SMF-101, 107

Group 3: SMF-110, 111, 131

Group 4: SMF-102, 103, 109, 112, 113, 120, 121, 123, 124, 127

Group 5: SMF-132, 133, 134, 135, 136

Group 6: SMF-122, 103C, 132C, 133C, 134C, 135C

Refer to the Motorcycle Oil Filter Application Guide (G-1768) to determine the correct oil filter stock number.



Power Sports Air Filters

Superior air filtration performance for ATV's and Dirt Bikes. Stops and holds more dirt than conventional filters. Ensures top performance for demanding off road applications. Cleanable and reusable.

Stock No.	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Min. Sugg. Retail, ea.
Power Sports Air Filters				
Group 1	0.3	3.00	6.00	9.95
Group 2	0.3	4.50	9.00	14.95
Group 3	0.3	5.10	10.20	16.95
Group 4	0.3	5.70	11.40	18.95
Group 5	0.3	6.00	12.00	19.95
Group 6	0.3	6.30	12.60	20.95
Group 7	0.3	6.60	13.20	21.95
Group 8	0.3	6.90	13.80	22.95
Group 9	0.3	7.20	14.40	23.95
Group 10	0.3	7.50	15.00	24.95
Group 11	0.3	8.10	16.20	26.95
Group 12	0.3	8.70	17.40	28.95

Use Group 1 Pricing for: PSFA-23

Use Group 2 Pricing for: PSFA-46, 47

Use Group 3 Pricing for: PSFA-45

Use Group 4 Pricing for: PSFA-40

Use Group 5 Pricing for: PSFA-33, 35, 44

Use Group 6 Pricing for: PSFA-19, 21, 28, 42

Use Group 7 Pricing for: PSFA-22

Use Group 8 Pricing for: PSFA-15, 18, 20, 31, 32, 37, 38, 49

Use Group 9 Pricing for: PSFA-30, 34

Use Group 10 Pricing for: PSFA-26, 39, 41, 48

Use Group 11 Pricing for: PSFA-10, 11, 12, 14, 16, 17, 25, 27, 29, 43

Use Group 12 Pricing for: PSFA-13, 24, 36



Power Core Air Filters

AMSOIL now offers premium PowerCore® Air Filters for Ford 6.0L Diesel PowerStroke™ and H2 Hummer 6.0L Vortec™ applications. The rugged structure of PowerCore® filters features an innovative, layered, fluted filter media which is ten times more efficient than standard filter designs. This design offers an

increased contaminant holding capacity and eliminates media movement, expansion, contracting and bunching. Servicing is also easier due to a lighter, smaller design.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Min. Sugg. Retail, ea.
-----------	----------	----------------	-----------------------	---------------------	---------------------------

PowerCore® Air Filters

AMSOIL PCF-60 PowerCore® Air Filter for Ford 6.0L Diesel PowerStroke™ Applications

PCF-60 (1) air filter	4.8	36.75	52.50	69.95
-----------------------	-----	-------	--------------	-------

AMSOIL PCF-H2 PowerCore® Air Filter for H2 Hummer 6.0L Vortec™ Applications

PCF-H2 (1) air filter	2.7	36.75	52.50	69.95
-----------------------	-----	-------	--------------	-------



Filters for Ford 6.0L

PowerStroke™ Applications

The AMSOIL FFK-60 Fuel filter incorporates both a primary and secondary filter for maximum fuel cleanliness. The AMSOIL SDF-88 Oil Filter provides increased engine life and improved and improved filtration efficiency.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Min. Sugg. Retail, ea.
-----------	----------	----------------	-----------------------	---------------------	---------------------------

Fuel Filter for Ford 6.0 Diesel PowerStroke™ Applications

FFK-60 (1) fuel filter	2.0	27.00	45.00	60.00
------------------------	-----	-------	--------------	-------

SDF Oil Filter for Ford 6.0 Diesel PowerStroke™ Applications

SDF-88 (1) oil filter	0.5	16.30	23.25	31.00
-----------------------	-----	-------	--------------	-------

By-Pass Oil Filters

Engine wear is caused by dirt particles of about 5 microns. The AMSOIL By-Pass Oil Filter removes particles less than one micron or larger, virtually eliminating engine wear. AMSOIL By-Pass Oil Filters filter all the oil in a six-quart system in about five minutes at an average engine speed equivalent to 45 mph.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	----------------	---------------------------	--------------------	--------------------------

By-Pass Filter Mounting Kit (without filter element—1 required) (for use with BE-90, BE-100, or BE-110 Element)

BMK-11 (1) Universal Mount	3.8	90.00	120.50	161.00
-----------------------------------	-----	-------	---------------	--------



Dual-Gard Mount (without hardware, hoses or filter elements—2 required) Links two AMSOIL By-Pass Filter Elements together for engines with sump capacities greater than 20 quarts.

(for use with BE-90, BE-100, or BE-110 Element)

BMK-12* (1) Dual-Gard Mount	4.8	64.50	86.50	114.00
------------------------------------	-----	-------	--------------	--------

*Includes flow restrictor. Does not include hose, plumbing or filters (2 filters required).



Dual Remote Oil Filtration Kit (without filter elements—2 required) Versatile system combines full-flow and by-pass oil filtration on a single, easy-to-install mount. All installation parts are included.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
BMK-13	(1) Reversible Remote Mount	8.3	114.00	152.50	201.00

Remote Full-Flow Mounting Kit (without filter element)
BMK-14 Remote Full-Flow Mount 6 102.00 **136.50** 181.00

Dual Remote System (Cummins Diesels in pickups, etc.) (Includes both filters)

BMK-15	(1) Reversible Remote Mount	11.8	132.00	176.50	227.00
---------------	-----------------------------	------	--------	---------------	--------

Dual Remote System (International Diesels in pickups, etc.) (Includes both filters)

BMK-16	(1) Reversible Remote Mount – Not available for 6.0L PSD –	12.15	139.50	186.50	242.00
---------------	--	-------	--------	---------------	--------

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

Dual Remote System (Duramax Diesel)*

BMK-17	(1) Reversible Remote Mount	12.15	132.00	176.50	227.00
---------------	-----------------------------	-------	--------	---------------	--------

*Unit includes one SDF-26 and one BE-100 FILTERS

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

Marine By-Pass Filtration System

BMK-18	(1) Marine Oil Filtration System	13.0	300.00	400.00	460.00
---------------	----------------------------------	------	--------	---------------	--------

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

BMK-18 Adaptors

BK-195	(1) 3/4 x 16" thread adapter	0.1	--	39.50	49.40
BK-196	(1) 13/16 x 16" thread adapter	0.1	--	39.50	49.40
BK-197	(1) 18mm x 1.5" thread adapter	0.1	--	39.50	49.40
BK-198	(1) 20mm x 1.5" thread adapter	0.1	--	39.50	49.40



AMS-Oiler Pre-Charger

The **AMS-Oiler™** pre-charger effectively puts an end to dry-engine starting. Motor oil is injected directly on the engine bearings and other wear-sensitive surfaces upon turning the ignition key. Its rugged construction withstands severe service and performs reliably in any personal, commercial or industrial application. Outperforms gas- and air-charge systems. Mechanical life cycle exceeds one million engine starts, with no maintenance required.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

AMK-01 (designed for use with the AMSOIL BMK-13 or 15 through 18 Dual Remote systems)

AMK-01	(1) Pre-Charger (By-Pass)	4.3	221.00	294.00	338.00
---------------	---------------------------	-----	--------	---------------	--------

AMK-02 (can be used with any engine application and mounts at any angle)

AMK-02	(1) Pre-Charger (Stand Alone)	6.2	261.00	348.00	400.00
---------------	-------------------------------	-----	--------	---------------	--------

By-Pass Oil Filter Replacement Elements Spin-On

BE-90	(1) 6-inch Filter	2.3	15.25	20.50	26.25
BE-100	(1) 8-inch Filter	2.7	16.80	22.85	29.40
BE-110	(1) 10-inch Filter	3.5	19.00	25.00	31.95

By-Pass Oil Filter Replacement Parts and Oil Sending Unit Adapters

These items will be shipped postpaid.

Parts for BF-6/BF-8/BF-50/BF-75 and BMK-01/BMK-02/BMK-3/BMK-04/BMK-5/BMK-6, BMK-11, 12, 13, 14, 15, 16 installations.

Stock No.	Description	Pkg.	Price
-----------	-------------	------	-------

For BF-90, BMK-01 and BMK-11

BK-203	Mount, Assembly, BMK-11	1	50.70
BP-40	Self-Tapping Hollow Bolt	1	1.50
BP-41	Sealing Gasket for Hollow Bolt	1	.70
BP-44	Oil sending unit adapter kit 1/8" x 28BSP (Most Japanese Cars)	1	10.00
BP-45	Oil sending unit adapter kit 10mm x 1.0mm (Most European Cars)	1	10.00
BP-67	Oil Sampling Petcock Valve with Street Tee Fitting	1	3.50
BP-80A	Mount, Assembly, BF-90	1	14.50
BP-89	Return Line Swivel Fitting	1	8.00
BP-132	Mount, Assembly, BMK-01	1	16.75
BP-207	Hose fitting, 1/4" for BMK-11 (for use w/ BP-206 hose only)	1	7.80
BP-208	Adapter Fitting, 1/8" MNPT to 7/16" -20 JIC, BMK-11	1	1.10
BP-216	Hose, 1/4" for BMK-11		3.90/per ft.

For BMK-3, 4, 5, 6, 13, 14, 15, 16 and 17

BK-01	90° Fitting (2 per pkg.) BMK-3, 4, 5 & 6	(2 per pkg.)	9.95
BK-02	45° Fitting (2 per pkg.) BMK-3, 4, 5, & 6	(2 per pkg.)	10.45
BK-03	Oil Sampling Petcock Valve BMK-2,3,4,5 & 6	1	4.75
BK-11	90° Fitting (1 long, 1 short) BMK-13,14,15,16	1	25.00
BK-12	45° Fitting (2/pkg.) BMK-13,14,15,16	1	16.65
BK-13	Oil Sampling Petcock Valve BMK-13,15 & 16	1	8.25
BK-193	Mount, Assembly, BMK-12	1	61.75
BK-204	Mount, Assembly, BMK-14	1	50.70
BK-209	Mount, Assembly, BMK-13, 15 & 16	1	64.60
BL-151	Left-Hand Mount Assembly BMK-3,5 & 6	1	32.10
BR-151	Right-Hand Mount Assembly BMK-3, 5 & 6	1	32.10
BP-158	Spin-On Adapter Kit (for BMK-3, 4, 13, 14)	1	19.95
(Includes BP-159, -160, -161, -162, -163, -164, -165, -166)			
BP-161	O-Ring, Small 2 1/2" (BMK-3, 4, 5 & 15)	1	.70
BP-162	O-Ring, Large 3 3/8" (BMK-3, 4, 13 & 14)	1	.75
BP-171	Mount, Assembly, BMK-4	1	22.65
BP-176	Spin-On Casting (w/ O-Ring), BMK-5 & 15	1	16.55
BP-177	Spin-On Casting (w/ O-Ring), BMK-6 & 16	1	21.90
BP-178	O-Ring, 3 3/8" BMK-6 and BMK-16	1	.85
BP-181	Hose, 1/2" (specify length needed) BMK-3,4,5,6	3	.65/per ft.
BP-182	Hose Fitting, 1/2" (Reusable for use with BP-181 Hose only), BMK-13, 14, 15, 16	1	3.20
BP-187	Hose Fitting 1 3/32" BMK-13, 14, 15, 16	1	6.85
BP-189	Adapter Fitting, 3/4" -16 straight to 3/4" -16 JIC, BMK-13, 14, 15 and 16	1	2.25
BP-190	Adapter Fitting, 3/8" MNPT to 3/4" -16 JIC, BMK-13, 14, 15 and 16	1	1.65
BP-191	3/4" -16 Allen Head Plug with "O" Ring, BMK-13, 15 and 16	1	1.70
BP-194	Mounting Bracket Top, BMK-12—16	1	6.10
BP-195	Mounting Bracket Bottom, BMK-12—16	1	4.95
BP-196	Gasket, 2 1/2" BMK-13 and BMK-14	1	.65
BP-201	Adapter Fitting, 1/2" MNPT to 3/4" -16 JIC, BMK-15 and 16	1	2.40

Stock No.	Description	Pkg.	Price
BP-202	Restrictor Assembly, .0937" orifice, BMK-121		6.90
BP-213	Adapter Fitting, 3/4" -16 Straight to 7/16" -20 JIC, BMK-12	1	4.15
BP-217	Hose, 13/32" Dia. BMK-13, 14, 15 and 16	4.30/per ft.	
1 See Oil & Air Filters Application Guide (G-194)			
BP-219	Spin-On Casting (w/O-Ring), BMK-17	1	16.55

For BF-50 and BF-75

BP-65	Canister Lid O-Ring	1	2.00
BP-66	T-Handle Seal	1	2.75

For BF-06 and BF-08

BP-17	Canister Lid O-Ring	1	1.50
BP-111	By-Pass Canister Spring	1	.75

Oil Analysis

AMSOIL provides oil analysis service options. By analyzing used engine oil, a qualified lab can detect mechanical problems your engine may have.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------	------------------

Oil Analysis Options

1. Trigrad Protection Plan (For personal cars and light duty trucks using AMSOIL 100% synthetic oil; Must have AMSOIL synthetic oils, air filter and By-Pass Oil Filter Kit installed to be eligible)
TRIGARD I (initial registration + 2 analysis)

ATG-01 .6 20.00 **24.00** 30.00

TRIGARD II (for continuation + 2 subsequent oil analysis)

ATG-02 .6 20.00 **24.00** 30.00

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------	------------------

2. Oil Analyzers, Inc. Sample Kits with complete analysis (includes two-way postage)

G-1451 (1) Sample Kit 0.1 -- **19.20** 25.20

G-1454 (1) Sample Kit 0.1 -- **932.50** 25.20

G-1455 (1) Sample Kit 0.1 -- **1825.00** 25.20

3. Oil Analyzers, Inc. Sample Kits with complete analysis (not postage paid)

G-1318 (1) Sample Kit 0.1 -- **15.20** 20.20

G-1321 (10) Sample Kits 0.1 -- **737.50** 20.20

G-1322 (50) Sample Kits 0.1 -- **1445.00** 20.20

4. Accessories

G-1206 Oil Suction Pump w/10-ft. hose **24.50**

G-1571 Replacement Hose 25-ft. **11.35**



P.I. Performance Improver Gasoline Additive

Ideal for both fuel-injected and carbureted systems. Dissolves and removes fuel system and valve deposits and other contaminants for improved power and overall performance in gasoline engines. The P.I. Quickshot is packaged as a convenient, single-use application of P.I. Performance Improver.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------	------------------

PI Performance Improver Gasoline Additive

API-BF (1) 16-oz. bottle 1.1 4.40 **6.05** 7.55

API-16 (12) 16-oz. bottles 12.8 52.80 **69.00** 89.40

API-1G (1) gallon can 7.7 32.80 **42.40** 52.95

API-04 (4) gallon cans 30.8 131.20 **161.60** 210.20

API-55* 55 gallon drum 421.2 1139.00 **2063.00** 2380.00

* Not stocked in all Distribution Centers. Call for availability.

PI Quick Shot

AQS-BB (1) 6-oz. bottle .4 2.50 **3.45** 4.30

AQS-06 (6) 6-oz. bottles 2.5 15.00 **19.80** 25.20



Gasoline Stabilizer

Reduces the oxidation process that occurs when fuel is stored for extended periods. Prevents the formation of varnish and sludge which can clog injectors, stick floats and cause poor engine performance. Ideal for stored seasonal equipment such as snowmobiles, lawnmowers and boats.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------	------------------

Gasoline Stabilizer

AST-BF (1) 16-oz. bottle 1.1 3.65 **5.65** 6.75

AST-16 (6) 16-oz. bottles 6.5 21.90 **32.40** 39.90



Diesel Fuel Additive Concentrate

Lowers diesel fuel gel point by 20° to 30°F, depending on mix ratio. Improves the performance, fuel efficiency and longevity of diesel engines while reducing deposits, black smoke and emissions. Prevents wear of injector pump. Designed for use in heavy-duty diesel engines. Treats up to 100 gallons.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------	------------------

Diesel Fuel Additive Concentrate (Heavy Duty Diesel Engines)

ADC-CN (1) 16-oz. can 1.2 3.35 **4.55** 6.05

ADC-16 (12) 16-oz. cans 14.6 40.20 **51.60** 71.40

ADC-05 (1) 5-gallon pail 39.8 103.30 **135.00** 175.25

ADC-30* 30-gallon drum 246.5 442.00 **695.00** 863.00

ADC-55* 55-gallon drum 442.3 790.00 **1250.00** 1559.00

* Not stocked in all Distribution Centers. Call for availability.



Diesel Fuel Modifier

Improves combustion, fuel efficiency, cold-weather starting, power and performance. Cleans injectors, fuel screens, pumps and filters. Designed for use in cars and light-duty trucks. Treats up to 40 gallons.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------	------------------

ADM-BF (1) 16-oz. bottle 1.1 2.45 **3.95** 4.90

ADM-16 (6) 16-oz. bottles 6.6 14.70 **22.50** 28.80

ADM-05 (1) 5-gallon pail 42 88.40 **106.00** 137.00



Cetane Boost Diesel Fuel Additive

Improves combustion efficiency to increase power in diesel engines. Raises cetane three to seven numbers. Also improves low-temperature starting, fuel ignition quality and reliability. Treats up to 200 gallons. For use in any diesel-fueled engine.

Cetane Boost (All Diesel Engines)

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------	------------------

ACB-CN (1) 16-oz. can 1.3 3.05 **4.60** 5.95

ACB-16 (12) 16-oz. cans 15.5 36.60 **52.80** 70.20

ACB-05 (1) 5-gallon pail 43.3 110.00 **135.00** 167.50

ACB-55* 55-gallon drum 481.3 689.00 **1205.00** 1375.00

*Not stocked in all Distribution Centers. Call for availability.



Series 2000 Octane Boost

Maximizes power and improves performance in all two-cycle and four-cycle gasoline engines. Increases octane number up to seven points. Reduces engine knock, improves ignition and engine response, helps fuel burn cleaner and inhibits corrosion. Recommended for off-road and racing use.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------	------------------

Octane Boost (All Gasoline Engines)

AOB-BE	(1) 12-oz. bottle	.8	3.90	6.90	8.50	
AOB-06	(6) 12-oz. bottles	4.7	23.40	39.30	50.40	



Home Heating Fuel Extender

Improves combustion efficiency. Cleans soot deposits for improved heat transfer. Reduces smoke output. Keeps nozzle clean and operating at peak efficiency. Cleans from the tank to the burner for dependable operation.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------	------------------

Home Heating Fuel Additive

AHF-BF	(1) 16-oz. bottle	1.1	4.35	6.75	8.40	
AHF-16	(6) 16-oz. bottles	6.6	26.10	38.40	49.80	



MP Metal Protector

Displaces water and protects metal surfaces from rust and corrosion. Provides a light film that prevents metal-to-metal contact. Excellent for use on guns, hinges, squeaky mechanical objects, electrical systems and more. Penetrates existing rust buildup. Also dries wet electrical systems.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------	------------------

MP Metal Protector

AMP-SC**	(1) 8.75 oz. can	.8	1.80	2.85	4.00	
AMP-12**	(12) 8.75 oz. cans	10	21.60	32.40	46.80	
AMP-1G	(1) gallon	7.5	16.85	21.85	28.50	
AMP-04	(4) gallons	30	67.40	83.20	112.40	
AMP-30*	30-gallon drum	227.5	378.00	518.00	623.00	
AMP-55*	55-gallon drum	407.3	591.00	898.00	1080.00	

** Cannot be shipped via air freight or parcel post.

* Not stocked in all Distribution Centers. Call for availability.

MP Heavy Duty Metal Protector



A heavy-duty spray lubricant fortified with special rust and corrosion inhibitors. Penetrates and adheres to metal surfaces, leaving a long-lasting protective coating. Apply MPHD to any metal surface that requires a heavy-duty lubricant or is exposed to the damaging effects of salt, moisture or chemical corrosion. Works as an undercoat, leaving a wax-like film. Recommended for motorcycle chains. Won't "sling" off. Dry to the touch. Doesn't attract dust.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------	------------------

MPHD Metal Protector

AMH-SC**	(1) 16-oz. can	1.4	3.00	4.15	5.90	
AMH-16	(12) 16-oz. cans	16.8	36.00	47.40	69.60	

** Cannot be shipped via air freight or parcel post.

* Not stocked in all Distribution Centers. Call for availability.



Silicone Spray

Perfect for lubricating nonmetal surfaces that contact with metal, nylon, cardboard, fiberglass, wood or plastic surfaces. Special non-staining formula. USDA H-1 rated for incidental contact with food. Excellent for waterproofing leather boots, shoes, jackets, suede, etc.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------	------------------

Silicone Spray

ALS-SC**	(1) 10-oz. can	.9	3.40	4.55	6.40	
ALS-06**	(6) 10-oz. cans	5.6	20.40	26.10	37.80	

** Cannot be shipped via air freight.



Power Foam

Improves starting and performance. Cleans dirty intake systems and spark plugs, frees sticky valves. Also removes gum, varnish and carbon deposits from engine exterior surfaces. Recommended for carburetors and fuel injectors. Works inside and out!

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------	------------------

Power Foam Engine Cleaner & Degreaser

APF-SC**	(1) 18-oz. can	1.5	2.25	3.35	4.55	
APF-12	(12) 18-oz. cans	18	27.00	38.40	53.40	

** Cannot be shipped via air freight or parcel post.



Engine Flush

Cleans the crankcase, upper end and other lubricated areas for maximum efficiency and performance. Preps engines for installation of AMSOIL synthetic motor oil. Flushing requires one can per 5 quarts of sump capacity.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------	------------------

Engine Flush

AEF-CN	(1) 16-oz. can	1.1	2.50	3.45	4.75	
AEF-16	(12) 16-oz. cans	13.7	30.00	39.60	55.80	
AEF-05	(1) 5-gallon pail	45	89.50	108.00	140.50	



Propylene Glycol Antifreeze and Engine Coolant

Essentially nontoxic and biodegradable. Provides superior performance in all climates. Contains special corrosion inhibitors and antifoam agents.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Retail, ea	Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------	------------------

Propylene Glycol Antifreeze and Engine Coolant

ANF-1G	(1) gallon bottle	9.2	5.00	13.15	17.75	
ANF-06	(6) gallon bottles	55.0	30.00	75.00	105.90	
ANF-55	55 gallon drum	503.0	250.00	668.00	748.00	
G-1165	(6) antifreeze test strips			1.95		
G-1164	(50) antifreeze test strips			6.60		



BriteSide Car Polish

Goes on easy and produces a brilliant mirror-like shine with only light hand-buffing. Provides UV protection to prevent paint from fading. Safe for all types of paint, including clearcoat. Anti-static formula minimizes dust accumulation.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

BriteSide Car Polish

PCP-BF	(1) 16-oz. bottle	1.3	4.60	6.70	9.15
PCP-16	(6) 16-oz. bottles	7.3	27.60	38.40	54.30

BriteSide Heavy Duty Scrub Hand Cleaner



Formulated for the toughest cleaning jobs. Chemically engineered to cut through grease, oil and dirt without the use of harsh pumice and without the need for rinsing with water.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

BSH-BF	(1) 16-oz. bottle	1	3.85	5.80	7.55
BSH-16	(6) 16-oz. bottles	6	23.10	33.00	44.70
BSH-1G	(1) gallon bottle	9	13.95	20.95	27.35
BSH-04	(4) 1 gallon bottles	36	55.80	79.80	107.80
G-1788	(24) 10 ml single packets	--	--	11.25	--
G-1806	(1) gallon bottle pump	--	--	1.75	--
G-1818	(1) wall mount bracket	--	--	9.95	--

BriteSide Scrub with Pumice



Works just like original Scrub when it comes to cleaning - with the added cleaning power of pumice. Cuts through grease, oil and dirt. Specially designed container is self-dispensing. Use with or without a water rinse.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

BriteSide Scrub with Pumice

BHP-TB	(1) 48-oz. tub	3.0	7.30	10.95	14.20
BHP-06	(6) 48-oz. tubs	18.0	43.80	62.70	84.60



BriteSide Vinyl and Leather Cleaner

Penetrates deeply into vinyl and leather to lift out imbedded dirt. No need for heavy scrubbing. Simply spray on, allow a minute or two to penetrate and loosen dirt particles, then wipe off with a damp sponge. Prepares fabric for conditioning with Pro-Formula Vinyl and Leather Protectant.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

BriteSide Vinyl & Leather Cleaner

PFC-BF	(1) 16-oz. bottle	1.3	4.15	5.60	7.45
PFC-16	(6) 16-oz. bottles	7.6	24.90	32.10	44.10



BriteSide Vinyl and Leather Protectant

Seals and protects vinyl, rubber, plastic and finished wood surfaces. Protects against fading, cracking, drying, deterioration and oxidation caused by exposure to the sun. Provides long-lasting protection.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

BriteSide Vinyl & Leather Protectant

PFP-BF	(1) 16-oz. bottle	1.3	5.55	7.30	9.40
PFP-16	(6) 16-oz. bottles	7.5	33.30	41.70	55.80



BriteSide Metal Polish

Cleans, polishes and protects chrome, aluminum, brass and stainless steel surfaces. Forms a protective layer that inhibits future rust and oxidation.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

BriteSide Metal Polish

PFM-BC	(1) 8-oz. bottle	.7	2.90	4.00	5.35
PFM-08	(6) 8-oz. bottles	4.1	17.40	22.80	31.50



Rain Clear Windshield Protectant

Maximize visibility in all kinds of weather. Rain, snow and sleet are repelled off glass. Wind action of driving forces moisture off the windshield, giving a clear view of the road ahead.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

Rain Clear Windshield Protectant

ARS-BA	(1) 4-oz. bottle	.3	2.60	3.10	4.45
ARS-04	(4) 4-oz. bottles	1.2	10.40	12.40	17.40
ARS-24	(24) 4-oz. bottles	7.5	62.40	70.80	104.40



MIRACLE WASH WATERLESS WASH AND POLISH SPRAY

This unique dry car wash and polish delivers outstanding performance and quick, easy and economical spray application. No water required. Incredibly easy to use: simply spray on, use a clean terry cloth towel to spread Miracle Wash and wipe clean with a second terry cloth towel. It's simply the fastest way to clean your vehicle. Specially formulated surfactants lift dirt and other particles from the surface of your car and hold them in suspension. Miracle Wash then acts as a shield, protecting the surface from abrasion while you wipe the dirt clean. Repels dust and light dirt particles and protects against the sun's ultraviolet rays.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

MIRACLE WASH WATERLESS SPRAY POLISH

AMW-SC	(1) 13-oz. spray can	1.0	6.05	6.35	8.50
AMW-06	(6) 13-oz. spray cans	6.0	36.30	36.30	50.40

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
AMW-QT	(1) quart bottle*	2.0	12.00	12.60	16.80
AMW-04	(4) quart bottles*	9.0	48.00	48.00	66.80

*applicator bottles not available



BRITESIDE T⁶ CLEANING CONCENTRATE

Revolutionary new formula tackles the toughest cleaning jobs at full strength and can be diluted for safe use on even the most sensitive materials. Super-concentrated formula can be diluted to perform hundreds of household and commercial tasks. Spray bottles and dilution syringe also available.

Stock No.	Pkg/Size	Wt. Lbs. ea	Comm Credits	Dealer Cost	Min. Sugg. Sug. Retail
-----------	----------	-------------	--------------	-------------	------------------------

BRITESIDE T⁶ CLEANING CONCENTRATE

BT6-HG	(1) 64-oz. bottle	4.7	18.50	19.45	32.10
BT6-05	(1) 5-gallon pail	40.2	120.00	150.00	195.00
BT6-06	(6) 64-oz. bottles	29.7	111.00	111.00	192.00
BT6-55	55-gallon drum	432	701.00	1275.00	1505.00
G-1782	(1) 24-oz. spray bottles	--	--	1.50	--
G-1787	(6) 24-oz. spray bottles	--	--	9.00	--
G-1783	(1) 2-oz. transfer syringe	--	--	.75	--



AMSOIL/DAHL FUEL/WATER SEPARATORS

For use with commercial diesel engines and gasoline passenger cars, light duty trucks and marine applications from 80 to 800 horsepower. Cleans fuel by removing water and sediment from fuels before reaching the fuel pump and causing excessive wear and internal engine rust. Eliminate pump and injector overhauls.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits, ea	Dealer Cost, ea	Min. Sugg. Retail, ea
-----------	----------	-------------	------------------------	-----------------	-----------------------

AMSOIL/DAHL FUEL/WATER SEPARATORS

(all gasoline and diesel engines up to 80 hp)

ADF-75	(1) Separator Unit	2.1	88.00	118.00	170.00
DE-75	(1) Element-summer	.3	7.30	9.75	12.95
DE-76	(1) Element-winter	.3	7.30	9.75	12.95

AMSOIL/DAHL FUEL/WATER SEPARATORS (up to 200 hp)

ADF-10	(1) Separator Unit	5.2	124.00	165.00	208.00
ADF-11	(1) Separator Unit Marine	6.1	147.75	197.00	262.00
DE-10	(1) Element-summer	.5	7.30	9.75	12.95
DE-11	(1) Element-winter	.6	7.30	9.75	12.95

AMSOIL/DAHL FUEL/WATER SEPARATORS (up to 800 hp)

ADF-20	(1) Separator Unit	12	192.00	256.00	356.00
ADF-21	(1) Separator Unit Marine	13.6	245.00	327.00	436.00
DE-20	(1) Element-summer	1	11.50	15.50	19.95
DE-21	(1) Element-winter	1	12.00	16.00	22.25

AMSOIL/DAHL FUEL/WATER SEPARATOR PARTS

DP-375	ADF-75 gasket kit	.1	2.00	2.65	3.55
DP-310	ADF-10&11 gasket kit	.1	2.55	3.40	4.50
DP-320	ADF-20&21 gasket kit	.1	5.60	7.45	9.95
DP-350	Vacuum gauge kit 1/4 inch fuel hose	1.3	58.50	78.00	104.00
DP-351	Vacuum gauge kit 3/8 inch fuel hose	1.3	58.50	78.00	104.00
DP-352	Vacuum gauge kit 1/2 inch fuel hose	2.1	69.20	92.25	123.00
DP-353	Vacuum gauge kit 5/8 inch fuel hose	2.1	69.20	92.25	123.00



AMSOIL/BOSCH WIPER BLADES

Excellent all-weather performance and extended service life. Revolutionary dual rubber technology, fully enclosed metal tension spring and a superior all-steel frame construction. Pre-installed

universal adapter fits 99% of applications without removal.

- AMSOIL/BOSCH Wipers Catalog** **G-1766** **\$1.00**
- AMSOIL/BOSCH Wipers Price List** **G-1764** **\$0.30**

AMSOIL/BOSCH SPARK PLUGS AND WIRES

Platinum +4 Spark Plugs contain four times the amount of pure platinum with four electrodes and surface air gap technology.

Delivers the most powerful spark.

Opti-Layer Mag wires deliver maximum firing energy for a longer, more powerful spark and optimum ignition performance.

- AMSOIL/BOSCH Spark Plug & Wire Catalog** **G-1767** **\$5.25**
- AMSOIL/BOSCH Spark Plug & Wire Price List** **G-1764** **\$0.30**



HASTINGS FILTERS

AMSOIL also offers a complete line of Hastings Filters for virtually every transportation and equipment need.

AMSOIL/HASTINGS Automotive

- Applications Catalog** **G-194** **\$4.50**
- AMSOIL/HASTINGS Heavy-Duty Applications Catalog** **G-1555** **\$6.00**
- AMSOIL/HASTINGS Price List** **G-1553** **\$0.60**

See the Literature Price List (G-15) for a comprehensive listing of Dealer literature and sales aids.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

ONLINE ORDERING INFORMATION

To order product from our online store at www.amsoil.com: Click on the Dealer Orders link at the top of the AMSOIL home page.

Follow the Click Here For Online Store Login or Registration, and then on the final Login and Registration Link, click on the Store Browser page.

At the Registration and Login Screen (it has a blue rectangle with username and password entry field) click the red Register button at the bottom of the page. This takes you to your information submission page. Complete the form with your name, ZO number, and the username and password of your choice. Note that the password must be at LEAST 6 characters long.

If you filled out the information form correctly, you will get a confirmation welcome screen and a 5-digit member number. We will notify you within about 24 hours via e-mail that you are activated. Once you are activated, follow the same links as outlined previously, and on the Registration and Login Screen simply enter in your username and password and click on the LOG IN button. This takes you to a confirmation screen to verify your account and address, and then to the store.

FREIGHT AND HANDLING INFORMATION

FREIGHT AND HANDLING CHARGES: You may order products shipped freight collect OR pre-pay the freight using the following schedule.

This freight schedule applies on shipments to any point in the contiguous United States on products stocked in Regional Distribution Centers.

You may include specific routing instructions with your order. However, since we use the most economical method of transportation, the final decision on routing pre-paid freight orders rests with the Distribution Center Manager.

If you need a specific routing guarantee for common carrier shipments, specify that your order be shipped "Freight Collect." However, UPS and Parcel Post shipments cannot be shipped "Freight Collect." We recommend you search for the best rates to your location and specify "Freight Collect" for larger shipments.

Third party billing is allowed. When third party billing is requested, the UPS account number of the third party must be supplied at the time of order placement. Parcel Post shipments to military P.O. Boxes will be charged actual freight charges.

U.S. AMSOIL DEALER FREIGHT RATES

1 to 3 lbs. - \$5.45	20 to 39 lbs. - 33¢ per lb.
4 to 6 lbs. - \$5.95	40 to 59 lbs. - 29¢ per lb.
7 to 12 lbs. - \$6.70	60 to 99 lbs. - 27¢ per lb.
13 to 19 lbs. - \$7.75	100 to 250 lbs. - 25¢ per lb.
	251 to 500 lbs. - 24¢ per lb.
	501 to 1000 lbs. - 23¢ per lb.
	1001 lbs. & over - 22¢ per lb.

AMSOIL DISTRIBUTION CENTERS

Location Hours	Phone and FAX No.
Palmer, AK C	907-745-3542
Mile 42 1/2 Glenn Highway	FAX: 907-746-6265
HC05 Box 9639, Palmer, AK 99645	
Orlando, FL A	407-296-4060
3071 North Orange Blossom Trail, Unit K.....	FAX: 407-296-8020
Orlando, FL 32804	
Chicago, IL A	630-595-8385
295 Lincoln Ave.....	FAX: 630-595-4601
Bensenville, IL 60106	
Dallas, TX A	817-640-9923
2234 Commerce Drive	FAX: 817-633-5160
Arlington, TX 76011	
Lancaster, PA A	717-396-0403
1917A Olde Homstead Rd.	FAX: 717-396-0419
Lancaster, PA 17601	
Las Vegas, NV A	702-644-2060
4545 North Lamb Blvd., Ste. C.....	FAX: 702-644-2228
Las Vegas, NV 89115	
Portland, OR A	503-620-5213
18379 SW Boones Ferry Road	FAX: 503-968-2878
Portland, OR 97224	

Richmond, VA A804-222-0711
 5616 Charles City Circle.....FAX: 804-236-8131
 Richmond, VA 23231
Superior, WI..... B715-392-7101
 2206 Winter StreetFAX: 715-392-5225
 Superior, WI 54880 Ordering Hot Line: 800-777-7094
Wichita, KS..... A316-943-5858
 3800 West 29th St. S., Ste. #5.....FAX: 316-943-3842
 Wichita, KS 67217
Columbus, OH..... A614-274-9851
 707 Hadley Drive.....FAX: 614-274-9852
 Columbus, OH 43228

HOURS

A —Mon, Tues, Wed, Fri.....9 am - 5:30 pm
ThurNoon - 8:30 pm
Sat, Sun and statutory holidays.....Closed
 B —Mon thru Fri.....8 am - 4:30 pm
Sat, Sun and statutory holidays.....Closed
 C —Tues. through Sat.....8 am - 4:30 pm
Sun, Mon. and statutory holidaysClosed

RESIDENCE DELIVERY FEES:* Carriers may charge an additional fee for delivery to a residence. The consignee pays any ADDITIONAL freight charges in these states. Allow a possible 2-3 days more for rural delivery. Some LTL carriers charge a fee when customers request a call before delivery or lift gate service. The consignee pays for this additional service.

PICK-UP ORDERS: It is advisable to call a Distribution Center before traveling a great distance to pick up product.

ROUTING: You may include specific routing instructions with your order. However, since the pre-paid freight schedule is based on using the most economical method of transportation, the final decision on routing pre-paid freight orders rests with the Distribution Center Manager. If you need a specific routing guarantee, specify that your order be shipped "Freight Collect." However, UPS and Parcel Post shipments **cannot** be shipped "Freight Collect," so actual freight will be charged.

EXPEDITING AND TRACING: If you have not received your order in 5 to 7 days (add 2 days in Southeast and Northwest), contact the Distribution Center from which your order was shipped. Be prepared to furnish the following information: **1.** Order date. **2.** Ordering Dealer's name and ZO number. **3.** Distribution Center Order Form number (upper right corner). **4.** To whom shipped and address. AMSOIL will notify you of the method of shipment, date of shipment, and present location as soon as possible.

SHORTAGES: On shipments with shortages, please note the number of pieces short on the delivery receipt and sign it. Then call the delivering carrier's office and report your shortage. If these efforts fail to complete your shipment within 10 days of receipt, contact your AMSOIL Distribution Center and request assistance.

LIMITED DISTRIBUTION: Every Distribution Center does not carry a complete inventory of the products listed in this price list. When there is a substantial repeat order for a product not carried by your Distribution Center, please discuss it with the Distribution Center manager.

CLAIMS AND DAMAGED SHIPMENTS

(NOTE: Claims must be made within 7 days from time of receipt)

Items Picked Up at Distribution Center

If you pick up an order at any Distribution Center and discover concealed damage when the case is opened at home, return the full case to the same Distribution Center for exchange at your convenience. Your copy of the Distribution Center Order Form (G-29) should accompany such an exchange. The exchange can only be made for exactly the same products.

Parcel Post Shipments from a Distribution Center

1. Claims for damages by Parcel Post must be filed by you. **2.** Return damaged merchandise and cartons to local post office when claim is filed. **3.** All claims are returned to shipper for verification of mailing date and distributor cost of damaged items. **4.** If reimbursement is made to AMSOIL as the shipper, we will replace shipment to you on a no charge basis. **5.** You can also accept reimbursement on your claim. If so, you must place a re-order with the AMSOIL Distribution Center for replacement of your damaged products.

* Please note that some items noted in the price list cannot be shipped via parcel post.

United Parcel Service (UPS) Shipments

Please inspect shipment before signing for delivery.

When there is visible damage, refuse to accept delivery. UPS will return the damaged goods to the Distribution Center, and the Distribution Center will re-ship your order. If UPS delivers a package without a signature and you discover damaged goods inside, contact your local UPS office and refuse the shipment due to damage. When there is concealed damage discovered after you accept delivery, contact the Distribution Center for instructions immediately. **NOTE:** If you accept delivery of visibly damaged merchandise, you accept all responsibility for filing claims with UPS.

Other Shipments (LTL or Common Carrier)

1. When damaged goods are received, have the driver make note of the damage on the delivery receipt before you sign it. **2.** Call the carrier's local office and request an inspection of damaged goods. **3.** File a claim with carrier for Dealer Cost of the merchandise. **4.** Damage claims **MUST** be filed within 7 days. The sooner you file, the better. **5.** Unlike UPS shipments, **never refuse a damaged shipment when the products are delivered via commercial carrier (trucklines).** To do so will cost you freight both ways!

Lift Gate Service (LTL=Common Carriers)

Customers can request lift gate service at time of ordering if they do not have a method of unloading large orders, 30 and 55 gallon drums or totes. Not all carriers offer this service, so when requesting it, please allow additional time for delivery. If lift gate service is requested, the consignee pays all costs for the additional service and will be charged the actual cost. Because these costs can vary depending upon the carrier used, it is recommended prior to placing the order to contact the distribution center from where the order is being shipped to obtain these costs. This is necessary because carriers are responsible for moving the shipment to the back of the trailer to be unloaded, but are not responsible for unloading the shipment.

Call Before Delivery Requests (LTL=Common Carriers)

At the time of order, customers can request to be contacted prior to delivery. A daytime phone number must be provided, will include instructions to call before delivery. The carrier will contact the customer prior to delivery to set up a delivery time. If this service is requested, the consignee pays all costs for the additional service and will be charged the actual cost. Because costs can vary depending upon the carrier used, it is recommended prior to placing the order to contact the distribution center from where the order is being shipped to obtain these costs.

ANY OTHER REQUESTS FOR SPECIAL SERVICES WILL BE CHARGED TO THE COSIGNEE AT ACTUAL COSTS.

SALES TAX INFORMATION

AMSOIL INC. implemented a software package called Vertex in February 2002. When you place an order that is shipped to the mailing address contained in our data base Vertex charges the tax rate for your location based on the state, city and county of your address. If you have your order shipped to a different address, AMSOIL will charged the highest rate (including state & applicable local rates) for that state to prevent underpayment of taxes in that area.

AMSOIL INC. is registered to collect sales tax in each state where applicable.

For **Dealers**, taxes will automatically calculate based on the suggested retail price. Therefore, if you are a **Dealer** ordering for personal use you must notify the telephone operator before giving the item number to be ordered. You may place one order that contains items for both resale and personal use. Be sure to tell the operator those that are for personal use as you give the item numbers.

For all other customers sales tax will be calculated on the purchases price of the product.

TAX RATE DETERMINATION

The sales tax rates are set in the following manner:

1. If you pick up your order at the Distribution Center, you will be charged the sales tax applicable at that **point of sale**, that is the prevailing tax rate at the Distribution Center location.
2. If you have the order **shipped**, sales tax will be charged at the rate applicable to the ship to address with the **exception** of orders being shipped in one of the following states: **Illinois, Pennsylvania, Texas and Virginia.** Orders shipped from one of these states will be charged the tax rate applicable to the Distribution Center that the product was shipped from.

INCORRECT TAX RATES

If you have been charged an incorrect tax rate on your orders that are shipped to the mailing address listed on file with AMSOIL INC., you will need to do the following:

1. Obtain documentation from your local tax authority, refereneing the full physical address on file with AMSOIL INC. which states the proper tax rate for your address.
2. Please mail this documentation to the following address:

AMSOIL INC.
Attn: Sales Tax Department
925 Tower Avenue
Superior, WI 54880

Please allow time for processing this rate change. Tax rate changes will be verified via a written notice from AMSOIL INC.

Please remember when you ship to a different address other than the one on file with AMSOIL INC. you will be charged the highest rate in that state. To recover the sales tax difference when you resale product in a lower sales tax area you will need to do the following:

1. To apply for a refund of the unrecovered portion of sales tax obtain a "Sale Tax Refund Form". Remit this signed form along with sales receipt copies of the sales in the lower rate areas.
2. Otherwise you can deduct unrecovered portions of sales tax on your Federal Income Tax return on Schedule C.

EXEMPTION CERTIFICATES

If you prefer to pay the state sales tax directly to your state revenue department rather than having AMSOIL collect it at the time you purchase the products, contact your state for a Tax Exemption Certificate.

When you obtain this certificate, send a copy of it to AMSOIL INC. along with a signed G-495 Uniform Sales & Use Tax Certificate (available at no charge form AMSOIL INC.). Once we have these certificates on file your purchases will be tax exempt. Please mail the documentation to the following address:

AMSOIL INC.
Attn: Sales Tax Department
925 Tower Avenue
Superior, WI 54880

Unfortunately, we are not allowed to exempt sales tax payments unless we have copies of these certificates on file, so be sure to send them in before you claim any exemptions. When we receive your certificates, we will be able to credit you for any sales taxes you've paid as far back as three months or the effective date on your State Sales Tax Exemption Certificate if it is less than three months from the day we receive your information.

This procedure is also necessary for any institutions, business or government agencies claiming sales tax exemptions.

EXEMPT PRODUCTS OR FREIGHT

Clothing Items are exempt from sales tax in the following states:

Connecticut	- Purchases less than \$75 are exempt
Massachusetts	- Purchases less than \$175.00 are exempt
Minnesota	- Total purchase exempt
New Jersey	- Total purchase exempt
New York	- Purchases of \$110.00 or less are exempt
Pennsylvania	- Total purchases exempt
Rhode Island	- Total purchase exempt
Vermont	- Purchases less than \$110.00 are exempt

Vitamins are exempt in the following states:

Freight charges when shipped by Common Carrier are exempt in the following states:

Connecticut	Michigan	Pennsylvania
Florida	New Jersey	Texas
Maryland	New York	Vermont

Freight charges when shipped by Common Carrier are exempt in the following states:

Alabama	Maine	Rhode Island
Arizona	Maryland	South Carolina
California	Massachusetts	Tennessee
Idaho	Michigan	Utah
Illinois	Minnesota	Vermont
Indiana	New Jersey	Virginia
Iowa	North Dakota	Wyoming
Kentucky	Ohio	District of Columbia
Louisiana	Oklahoma	

SALES TAX TABLE as of August 1, 2004

The following Sales Taxes are collected by AMSOIL on purchases made by Dealers and Accounts in these states.

*Alabama4%	Louisiana4%	Ohio8.0%
Arizona6.3%	Maine5%	Oklahoma10.5%
Arkansas10.0%	Maryland5%	Pennsylvania6%
*California8.75%	Massachusetts5%	*Rhode Island7%
Colorado3.7%	Michigan6%	S. Carolina5%
*Connecticut6%	Minnesota6.5%	S. Dakota6%
Florida6.5%	Mississippi7%	Tennessee9.75%
Georgia7%	Missouri7.616%	*Texas7.5%
*Hawaii4.5%	Nebraska5.5%	*Utah7%
Idaho6.0%	Nevada7.5%	Vermont6.0%
Illinois8%	New Jersey6%	Virginia4.5%
Indiana6%	New Mexico5%	Washington8.1%
Iowa5%	New York8.25%	Washington DC5.75%
Kansas6.3%	N. Carolina7%	W. Virginia6%
Kentucky6.0%	N. Dakota5%	*Wisconsin5.5%
		Wyoming6%

SPECIAL TAXES

The following outlines states that have excise taxes or other special taxes. Remember to add the excise taxes to the product total before figuring your sales tax. The excises taxes are not exempt from state sales tax.

Alabama:

- There is a 4% sales tax charged on air and oil filters, mounting kits, fuel additives, metal protector, power foam, and car care products.
- There is a \$0.06 per gallon excise tax charged on shock therapy oil, natural gas engine oil, gear lube, chaincase lubricant, transmission fluid, bar and chain oil, grease, hydraulic oil, chain and gear oil, compressor oil, and foam filter oil.
- There is a \$0.06 per gallon excise tax plus a \$0.15 per gallon inspection fee on engine oil, diesel oil, and two-cycle oil.

California:

- Effective October 1, 1992 there is a \$0.16 per gallon tax on all lubricating oil except differential additives, chaincase lubricant, two-cycle oils, bar and chain oil, grease, hydraulic oil, chain and gear oil, and compressor oil.

Connecticut:

- Effective February 1, 1997 there is a 5% "Petroleum Tax" on all AMSOIL products except air filters, oil filters, by-pass oil filters, dual remote oil filtration kit, BP parts, oil analysis kits, antifreeze, car cleaning products, and fuel/water separators.

Hawaii:

- Accounts or dealers with a tax exemption must pay 0.5% on product total.
- Accounts or dealers without a tax exemption must pay 4.5% on product total.

Rhode Island:

- There is a \$0.10 per gallon tax on the ANF series.
- There is a \$0.05 per quart tax on the following lubricating oils: engine oil, diesel oil, gear lube, chaincase lubricant, transmission fluid, two-cycle oil, bar and chain oil, hydraulic oil, chain and gear oil, and compressor oil.
- There is a \$0.0025 per gallon tax on products that contain organic solvents, these products include: two-cycle oil, gasoline additive, gasoline stabilizer, diesel fuel additive, diesel fuel modifier, series 2000 octane boost, home heating fuel extender, metal protector, silicon spray, power foam, and engine flush.

Texas:

- There is a \$0.01 per quart tax on automotive oils, this includes the following: engine oil, diesel oil, gear lubes, transmission fluid, and hydraulic/transmission fluid.

Utah:

- There is a \$0.04 per quart lubricating oil fee pertaining to all containers except those 55-gallons or bigger on the following lubricants: engine oil, diesel oil, shock therapy oil, gear lube, hydraulic oil, chain and gear oil, and compressor oil.